

Baron™ Thermostat Wire

18 AWG Baro-Pak™ and Reels
20 AWG Baro-Pak™ and Reels





Baro-Pak™

4

Thermostat Cables

5

Air Conditioning Whips & Plenum Rated Wire

6

Technical Information

7

Baro-Pak™*

The New Baro-Pak™ self-dispensing package is easier, faster, better, by design:

Features


- More compact-takes up about 1/3 the space of reels
- Easier to handle
- No bent or broken reels to deal with
- No unwinding
- No tangles, kinks or knots
- Stacks and stores better
- Less job site waste
- Easier to identify
- Code approved

Baro-Pak™ Makes Wire Dispensing as Easy as 1, 2, 3!

Simply punch a hole in the center of the wrap. DO NOT REMOVE WRAP! Pull loose end of wire from center. Wire will pay out easily. Snip off the required amount, then tuck the loose end back into the Baro-Pak™ for storage. The interior strap can be used as a convenient handle for easy transport.

All Baron™ thermostat wire is now available in Baro-Pak™ packaging:

- 18 AWG Baro-Pak and Reels
- 20AWG Baro-Pak and Reels



Baro-Paks - 18 AWG UL CL2, CUL CM OR CMH/FT1

ServiceFirst Item #	Baron #	Baron-ServiceFirst Item #	Description
WIR03769	55302-55-07	55302T507	18/2, 500 foot coils
WIR03770	55303-55-07	55303T507	18/3, 500 foot coils
WIR03771	55304-54-07	55304T407	18/4, 250 foot coils
WIR03772	55305-54-07	55305T407	18/5, 250 foot coils
WIR03773	55306-54-07	55306T407	18/6, 250 foot coils
WIR03776	55307-54-07	55307T407	18/7, 250 foot coils
WIR03774	55308-54-07	55308T407	18/8, 250 foot coils
WIR03777	55309-54-07	55309T407	18/9, 250 foot coils
WIR03775	55310-54-07	55310T407	18/10, 250 foot coils
WIR03778	55312-54-07	55312T407	18/12, 250 foot coils

Baro-Paks - 20 AWG UL CL2, CUL CM OR CMH/FT1

ServiceFirst Item #	Baron #	Baron-ServiceFirst Item #	Description
WIR03779	55202-55-07	55202T507	20/2, 500 foot coils
WIR03780	55203-55-07	55203T507	20/3, 500 foot coils
WIR03781	55204-54-07	55204T407	20/4, 250 foot coils
WIR03782	55205-54-07	55205T407	20/5, 250 foot coils
WIR03783	55206-54-07	55206T407	20/6, 250 foot coils
WIR03784	55207-54-07	55207T407	20/7, 250 foot coils
WIR03785	55208-54-07	55208T407	20/8, 250 foot coils
WIR03786	55209-54-07	55209T407	20/9, 250 foot coils
WIR03787	55210-54-07	55210T407	20/10, 250 foot coils

*Baron and Baro-Pak are trademarks owned by Colmen Cable Systems, Inc.

Thermostat Cable

Wire on reels - 18 AWG UL CL2, CUL CM OR CMH/FT1



ServiceFirst Item #	Baron #	Baron-ServiceFirst Item #	Description
WIR02573	55302-05-07	3001820000	18/2, 500 foot spools
WIR02574	55303-05-07	3001830000	18/3, 500 foot spools
WIR02575	55304-04-07	3001840000	18/4, 250 foot spools
WIR02576	55305-04-07	3001850000	18/5, 250 foot spools
WIR02577	55306-04-07	3001860000	18/6, 250 foot spools
WIR02578	55307-04-07	55307-04-07	18/7, 250 foot spools
WIR02579	55308-04-07	3001880000	18/8, 250 foot spools
WIR02580	55309-04-07	55309-04-07	18/9, 250 foot spools
WIR02581	55310-04-07	3018100000	18/10, 250 foot spools
WIR02582	55312-04-07	55312-04-07	18/12, 250 foot spools

*18 gauge Baron-ServiceFirst part numbers that are different than the Baron part number indicate special ServiceFirst labeling requirements for items stocked in ServiceFirst warehouse.

Wire on reels - 20 AWG UL CL2, CUL CM OR CMH/FT1

ServiceFirst Item #	Baron #	Baron-ServiceFirst Item #	Description
WIR02583	55202-05-07	55202-05-07	20/2, 500 foot spools
WIR02584	55203-05-07	55203-05-07	20/3, 500 foot spools
WIR02585	55204-04-07	55204-04-07	20/4, 250 foot spools
WIR02586	55205-04-07	55205-04-07	20/5, 250 foot spools
WIR02587	55206-04-07	55206-04-07	20/6, 250 foot spools
WIR02588	55207-04-07	55207-04-07	20/7, 250 foot spools
WIR02589	55208-04-07	55208-04-07	20/8, 250 foot spools
WIR02590	55209-04-07	55209-04-07	20/9, 250 foot spools
WIR02591	55210-04-07	55210-04-07	20/10, 250 foot spools



Air Conditioning Whips & Plenum Rated Wire




Air Conditioning Whips

ServiceFirst Item #	Baron #	Baron- ServiceFirst Item #	Description
KIT08232	57504	57504-T0-00	3/4 inch X 4 foot, metallic fittings
KIT08228	57505	57505-T0-00	3/4 inch X 4 foot, PVC fittings
KIT08233	57506	57506-T0-00	3/4 inch X 6 foot, metallic fittings
KIT08229	57507	57507-T0-00	3/4 inch X 6 foot, PVC fittings
KIT08230	57514	57514-T0-00	1/2 inch X 4 foot, metallic fittings
KIT08226	57515	57515-T0-00	1/2 inch X 4 foot, PVC fittings
KIT08231	57516	57516-T0-00	1/2 inch X 6 foot, metallic fittings
KIT08227	57517	57517-T0-00	1/2 inch X 6 foot, PVC fittings

Plenum Rated Wire - 18 AWG UL CMP/MPP/CL2P, CUL CMP/FT6

ServiceFirst Item #	Baron #	Baron- ServiceFirst Item #	Description
WIR02593	55502-05-23	30182P0000	18/2, 500 foot spools
WIR02594	55503-05-23	30183P0000	18/3, 500 foot spools
WIR02595	55504-04-23	30184P0000	18/4, 250 foot spools
WIR02596	55505-04-23	30185P0000	18/5, 250 foot spools
WIR02597	55506-04-23	30186P0000	18/6, 250 foot spools

Technical Information



The chart above shows approximate values from the AC resistive component of the circuit impedance. For the conductor sizes shown, omission of the reactive component will not result in a significant error.

Color code for conductors

No. of Cond.	Color Code
2	red/white
3	red/white/green
4	red/white/green/blue
5	red/white/green/blue/yellow
6	red/white/green/blue/yellow/brown
7	red/white/green/blue/yellow/brown/orange
8	red/white/green/blue/yellow/brown/orange/black
9	red/white/green/blue/yellow/brown/orange/black/pink
10	red/white/green/blue/yellow/brown/orange/black/pink/grey
12	red/white/green/blue/yellow/brown/orange/black/pink/grey/tan/purple
13	red/white/green/blue/yellow/brown/orange/black/pink/grey/tan/purple/clear



Literature Order Number	RSP-PRC021-EN
Filing Hierarchy	Service Products/HVAC Supplies & Accessories
Date	January 2003
Supersedes	New
Stocking Location	La Crosse

Trane has a policy of continuous product and product data improvement and reserves the right to change design and specifications without notice.