


Motor Shop Top Motor Finder



Key to Table

Key

Horse Power	Decimal	Frame Size	Diameter
1/60 HP	0.02	42	5 Inch
1/30 HP	0.03	48	5-5/8 Inch
1/25 HP	0.04	56	6-1/2 Inch
1/20 HP	0.05	143T	6-1/2 Inch
1/16 HP	0.06	145T	6-1/2 Inch
1/15 HP	0.07	182T	8-1/2 Inch
1/12 HP	0.08	184T	8-1/2 Inch
1/10 HP	0.10	213T	10-3/4 Inch
1/8 HP	0.13	215T	10-3/4 Inch
1/6 HP	0.17	254T	13 Inch
1/5 HP	0.20	256T	13 Inch
1/4 HP	0.25		
1/3 HP	0.33		
2/5 HP	0.40		
1/2 HP	0.50		
3/5 HP	0.60		
3/4 HP	0.75		
RPM	Poles		
750-900	8 Pole		
1000-1200	6 Pole		
1500-1800	4 Pole		
3200-3600	2 Pole		

Motor Shop Top Motor Finder

HP	RPM Range	Voltage Range	Frame	Description	ServiceFirst Item #
0.02	6 Pole (1000-1200 rpm)	265-277	42	1/60HP, 277/60/1, 1100/900/700 RPM, PSC, G-13	MOT03594
0.03	6 Pole (1000-1200 rpm)	110-120	42	FAN COIL, 1/30 HP, 115 V, 1100/900/700 RPM, DOUBLE SHAFT 8.1 X 1/2 X 8.5	MOT01876
0.03	6 Pole (1000-1200 rpm)	110-120	42	FAN COIL, 1/30 HP, 115 V, 1100/900/800 RPM, SINGLE SHAFT 6.75 X 1/2	MOT01878
0.03	6 Pole (1000-1200 rpm)	110-120	42	FAN COIL, 1/30 HP, 115 V, 1100/900/800 RPM, SINGLE SHAFT 6.75 X 1/2	MOT01878
0.03	6 Pole (1000-1200 rpm)	110-120	SUB	.03HP,115/50-60/1,1090/950/710/560RPM,DIRECT DRIVE (REVRSIBL)W/10MFD 370V,PSC	MOT07546
0.03	8 Pole (750-900 rpm)	110-120	42	1/30HP,115/60/1, 700/580/440 RPM,PSC,G-9	MOT03588
0.04	6 Pole (1000-1200 rpm)	110-120	SUB	.04HP 115/50-60/1 1090/930/750/500 RPM DIRECT DRIVE (REVRSIBL) W/ 10 MFD 370VAC PSC	MOT07204
0.04	6 Pole (1000-1200 rpm)	110-120	48	1/25 HP, 115/60/1 1050 RPM, ENCL, SLEEVE	MOT01500
0.04	8 Pole (750-900 rpm)	265-277	42	1/25 HP, 277/60/1, 620 RPM, 3 SPD, 20 FRAME, OPEN W/MTG FLANGE, BALL BRG, CCW	MOT08617
0.05	4 Pole (1500-1800 rpm)	110-120	42	1/20HP, 115/60/1, 1550 RPM, ENCLOSED, 1/2 IN SHAFT	MOT01502
0.05	4 Pole (1500-1800 rpm)	110-120	42	1/20 HP, 115/60/1, 3200 RPM, CW, BALL BEARING	MOT03474
0.05	4 Pole (1500-1800 rpm)	110-120	42	1/20 HP, 115/60/1 3200 RPM, CW, BB	MOT03475
0.05	6 Pole (1000-1200 rpm)	110-120	42	FAN COIL, 1/20 HP, 115 V, 1100/900/700 RPM, SINGLE SHAFT 8.5 X 1/2	MOT01875
0.05	6 Pole (1000-1200 rpm)	110-120	NA	1/20 HP, 115/60/1	MOT02229
0.05	6 Pole (1000-1200 rpm)	110-120	42	3 SPEED, .05 HP 115/50-60/1, REVERSIBLE SINGLE SHAFT W/PSC 1080/800/600 RPM (50CY-900 MAX RPM)	MOT07499
0.05	6 Pole (1000-1200 rpm)	265-277	42	1/20HP,277/60/1, 1075/900/700 RPM, PSC, DBL SHAFT, G-13	MOT03596
0.05	8 Pole (750-900 rpm)	110-120	42	1/20 HP, 115/60/1, 850 RPM, TOP, 3SPD 20 FRAME, OPEN, W/MTG FLANGE, SLEEVE BRG, CCW ROTATION	MOT08633
0.05	8 Pole (750-900 rpm)	208-240	48	1/20 HP, 200/230/60/1,825RPM,CCW 48 FRAME,PSC,SLEEVE BRG, 4 MFD CPT AT 370V	MOT04711
0.05	8 Pole (750-900 rpm)	265-277	42	1/20 HP, 277/60/1, 850 RPM, 3 SPD, 20 FRAME OPEN, W/MTG FLANGE, SLEEVE BRG, CCW	MOT08616
0.06	6 Pole (1000-1200 rpm)	110-120	SUB	.06 HP,115/50-60/1,1090/930/750/500RPM,DIRECT DRIVE (REVRSIBL)W/10MFD 370V,PSC	MOT07547
0.06	6 Pole (1000-1200 rpm)	110-120	NA	3 SPEED, .06 HP 115/50-60/1, CLOCKWISE SINGLE SHAFT W/PSC 1080/800/600 RPM (50CY-900 RPM MAX)	MOT07501
0.06	8 Pole (750-900 rpm)	110-120	42	1/16 HP,115/60/1, 850/700/525 RPM,PSC,G-9	MOT03589
0.06	8 Pole (750-900 rpm)	265-277	42	1/16 HP,277/60/1, 850/700/525 RPM-TV-R-B, 770/570/460 RPM-TV-R-C, 277V HI RISE MOTOR, SIZE 04	MOT02852
0.07	4 Pole (1500-1800 rpm)	208-240	48	1/15HP, 200-230/60/1, 1650RPM, CCW, PSC, 48 FRAME, SLEEVE, 4 AT 370V	MOT05065
0.07	4 Pole (1500-1800 rpm)	208-240	42	BLOWER, 2 SPEED, INCL. MOTOR CONNECTOR, COUNTER CLOCKWISE	MOT03105
0.07	6 Pole (1000-1200 rpm)	110-120	42	FAN COIL, 1/15 HP, 115 V, 1100/900/700 RPM, DOUBLE SHAFT 10.0 X 1/2 X 10.6	MOT01877
0.07	6 Pole (1000-1200 rpm)	110-120	42	FAN COIL, 1/15 HP, 115 V, 1100/900/700 RPM, DOUBLE SHAFT 10.0 X 1/2 X 10.6	MOT01877
0.07	8 Pole (750-900 rpm)	208-240	48	1/15 HP, 200/230/60/1, 825 RPM, 48 FRAME PSC, SLEEVE BEARING, CCW, 5 MFD @ 370V	MOT10514
0.07	8 Pole (750-900 rpm)	208-240	48	1/15HP, 200/230/60/1, 825RPM, 48 FRAME, TYPE PSC, CCW, SLEEVE BEARING, 4.0 MFD CPT AT 370V	MOT03408
0.08	4 Pole (1500-1800 rpm)	110-120	42	1/12 HP, 115/60/1 1550 RPM, 3 SPEED	MOT02726
0.08	4 Pole (1500-1800 rpm)	110-120	42	.08 HP, 115/60/1, 1500/1355/1110 RPM, 3-SPEED, CLOCKWISE, WITH CAPACITOR	MOT11559
0.08	4 Pole (1500-1800 rpm)	208-240	42	1/12 HP, 208-230/60/1, 4 SPEED	MOT04506
0.08	4 Pole (1500-1800 rpm)	265-277	42	1/12 HP, 277/60/1, 1625 RPM, W/MOUNTING BRK SLEEVE BRG, 72 FRAME	MOT08808
0.08	4 Pole (1500-1800 rpm)	265-277	42	1/12HP, 277/60/1, 4 SPEED	MOT04523
0.08	6 Pole (1000-1200 rpm)	110-120	42	1/12 HP,115/60/1, 1500/1200/950 RPM	MOT02403
0.08	6 Pole (1000-1200 rpm)	110-120	42	1/12 HP,115/60/1, 1500/1200/950 RPM	MOT02403
0.08	6 Pole (1000-1200 rpm)	110-120	42	1/12 HP, 115/60/1, .375 DIA SHAFT	MOT02230
0.08	8 Pole (750-900 rpm)	110-120	42	FAN COIL, 1/12 HP, 115 V, 775/3 SP RPM, DOUBLE SHAFT 9.5 X 1/2 X 9.5	MOT02190
0.08	8 Pole (750-900 rpm)	110-120	42	FAN COIL, 1/12 HP, 115 V, 775/3 SP RPM, DOUBLE SHAFT 9.5 X 1/2 X 9.5	MOT02190
0.08	8 Pole (750-900 rpm)	208-240	48	1/12HP,825RPM,200-230/60/1,CCW,PSC,48,BB,4 AT 370V	MOT05539
0.08	8 Pole (750-900 rpm)	208-240	48	1/12HP, 230/60/1,720 RPM, 39 FRAME, CCW, SLEEVE BEARING, 5 MFD CPT	MOT02306
0.10	6 Pole (1000-1200 rpm)	208-240	48	1/10 HP, 200-230/60/1,1080 RPM, CCW, PSC, 48, SLEEVE, 5 AT 370V	MOT06612
0.10	6 Pole (1000-1200 rpm)	440-480	48	1/10 HP, 460/60/1	MOT04590
0.10	8 Pole (750-900 rpm)	110-120	48	1/10 HP,115/60/1, 810/675/500 RPM,PSC,G-9	MOT03590
0.13	4 Pole (1500-1800 rpm)	110-120	48	1/8 HP, 115/60/1 1550 RPM, ENCL, SLEEVE	MOT01504
0.13	4 Pole (1500-1800 rpm)	110-120	NA	1/8 HP, 115/60/1, SINGLE SHAFT	MOT12221
0.13	4 Pole (1500-1800 rpm)	208-240	42	1/8 HP, 230/60/1, 1550 RPM, 42 FRAME, CCW, OUTDOOR MOTOR, PSC, 4 MFD AT 370V, FLA 0.9, LRA 1.4,	MOT03438

Motor Shop Top Motor Finder

HP	RPM Range	Voltage Range	Frame	Description	ServiceFirst Item #
0.13	4 Pole (1500-1800 rpm)	208-240	48	1/8 HP, 200-230/60/1, 1650 RPM, CCW, ENCL, TYPE PSC, 48 FRAME, 4 MFD CPT AT 370V	MOT06363
0.13	4 Pole (1500-1800 rpm)	208-240	42	1/8 HP, 230/60/1, 1550 RPM, 29 FRAME, CCW, SLEEVE BEARINGS	MOT03328
0.13	4 Pole (1500-1800 rpm)	208-240	42	OUTDOOR, 1/8 HP, 200/230/50-60/1, 1620 RPM, TYPE PSC, 42 FRAME, CCW, BALL BEARING, 4.0 MFD @ 370V	MOT08632
0.13	6 Pole (1000-1200 rpm)	110-120	42	1/8 HP, 115/60/1, 1500/1200/950 RPM, DBL SHAFT	MOT01978
0.13	6 Pole (1000-1200 rpm)	110-120	42	1/8 HP, 115/60/1, 1500/1200/950 RPM, DBL SHAFT	MOT01978
0.13	6 Pole (1000-1200 rpm)	110-120	42	1/8 HP, 115/60/1, 1500/1200/950 RPM, DBL SHAFT	MOT01978
0.13	6 Pole (1000-1200 rpm)	110-120	42	3 SPEED PSC, 115V, 1/8HP, 1050/900/700 RPM	MOT02196
0.13	6 Pole (1000-1200 rpm)	110-120	42	1/8HP, 120V/60/1, 1050/900/700 RPM	MOT04597
0.13	6 Pole (1000-1200 rpm)	208-240	48	1/8 HP, 200/230/60/50/1, 1075 RPM, 48 FRAME PSC, SLEEVE BEARINGS, CCW, 5 MFD @ 370V	MOT11447
0.13	6 Pole (1000-1200 rpm)	208-240	42	1/8 HP, 200-230/60/1, 1075RPM, CCW, 42 FRAME, PSC, BALL BEARING, 5.0 MFD @370V	MOT08915
0.13	6 Pole (1000-1200 rpm)	208-240	48	1/8 HP, 200-230/60/1, 1075 RPM, TYPE PSC, 39 FRAME, CCW, SLEEVE BEARING, 5 MFD CPT AT 370V	MOT02614
0.13	6 Pole (1000-1200 rpm)	208-240	48	1/8 HP, 200-230/60/1, 1075 RPM, CCW, TYPE KCP, 39 FRAME, SLEEVE BEARINGS, 5 MFD CPT AT 370V	MOT07633
0.13	6 Pole (1000-1200 rpm)	265-277	42	3 SPEED PSC, 277V, 1/8 HP, 1050/900/700 RPM	MOT02197
0.13	6 Pole (1000-1200 rpm)	265-277	42	1/8HP, 277/60/1, 1050/900/700 RPM	MOT04598
0.13	6 Pole (1000-1200 rpm)	265-277	42	1/8 HP, 277/60/1, 1500/1300/1100 RPM, CW, SLEEVE	MOT08204
0.13	8 Pole (750-900 rpm)	110-120	48	FAN COIL, 1/8 HP, 115 V, 775/3 SP, DOUBLE SHAFT 11.0 X 1/2 X 11/0	MOT02191
0.13	8 Pole (750-900 rpm)	110-120	48	FAN COIL, 1/8 HP, 115 V, 775/3 SP, DOUBLE SHAFT 11.0 X 1/2 X 11/0	MOT02191
0.13	8 Pole (750-900 rpm)	208-240	48	1/8 HP, 200/230/60/1, PSC-2 SPEED, 825 RPM, 48 FRAME, SLEEVE BEARING, CCW, 5 MFD CPT @ 370V	MOT10480
0.13	8 Pole (750-900 rpm)	208-240	48	1/8 HP, 200/230/60/1, PSC-2 SPEED, 825 RPM, 48 FRAME, SLEEVE BEARING, CCW, 5 MFD CPT @ 370V	MOT10434
0.13	8 Pole (750-900 rpm)	208-240	48	1/8 HP, 200/230/60/1, PSC, 825 RPM, 48 FRAME, SLEEVE BEARING, CCW, 5 MFD CPT @ 370	MOT12004
0.13	8 Pole (750-900 rpm)	208-240	48	1/8 HP, 200/230/60/1, 825 RPM, 48 FRAME, PSC, SLEEVE BEARING, CCW, 5 MFD CPT @ 370V	MOT12215
0.17	4 Pole (1500-1800 rpm)	110-120	48	2 SPEED, 1/6 HP, 115/60/1, 1725/1140 RPM, 48 FRAME, TYPE 5PM, BALL BEARING, DRIP PROOF	MOT01226
0.17	4 Pole (1500-1800 rpm)	208-240	42	OUTDOOR, 1/6 HP, 200/230/60/1, 1625 RPM, TYPE PSC, 42 FRAME, CCW, BALL BEARING, 4.0 MFD @ 370V	MOT08803
0.17	4 Pole (1500-1800 rpm)	208-240	48	1/6 HP, 200/230/60/1, PSC, 39 FRAME, 1650 RPM, CCW, SLEEVE BEARINGS, 5 MFD CPT @ 370V	MOT11049
0.17	6 Pole (1000-1200 rpm)	110-120	48	1/6 HP, 115/60/1, 1050 RPM, SLEEVE, OPEN, .50 SHAFT DIA	MOT09583
0.17	6 Pole (1000-1200 rpm)	110-120	48	1/6 HP, 115/60/1, 1500/1200/900 RPM, DBL SHAFT	MOT01979
0.17	6 Pole (1000-1200 rpm)	110-120	48	1/6 HP, 115/60/1, 1500/1200/900 RPM, DBL SHAFT	MOT01979
0.17	6 Pole (1000-1200 rpm)	110-120	48	1/6 HP, 115/60/1 1100 RPM, ENCL, BB	MOT01505
0.17	6 Pole (1000-1200 rpm)	208-240	48	1/6 HP, 2080230/60/1, SLEEVE BEARING, 1075 RPM, TE, 48 FRAME	MOT10141
0.17	6 Pole (1000-1200 rpm)	208-240	48	1/6 HP, 208-230/60/1, 1060 RPM, CCW, TYPE PSC, INDOOR, 48 FRAME, SLEEVE BEARING, 5.0 MFD CPT AT 370V	MOT08399
0.17	6 Pole (1000-1200 rpm)	208-240	42	OUTDOOR, 1/6 HP, 230/50-60/1, 1100 RPM, TYPE PSC, 42 FRAME, CCW, BALL BEARING, 5.0 MFD, 370V	MOT08637
0.17	6 Pole (1000-1200 rpm)	208-240	48	1/6 HP, 200-230/50-60/1, 1100 RPM, TYPE PSC, CCW, SLEEVE BEARING, 5 MFD CPT AT 370V	MOT09648
0.17	6 Pole (1000-1200 rpm)	440-480	48	1/6 HP, 380-460/50-60/1, 1180/1625 RPM, CCW, TYPE KCP, 39 FRAME, SLEEVE BEARING, 5 MFD CPT AT 370V	MOT02308
0.17	8 Pole (750-900 rpm)	110-120	48	FAN COIL, 1/6 HP, 115 V, 775/3 SP RPM, DOUBLE SHAFT 11.0 X 1/2 X 11.0	MOT02192
0.17	8 Pole (750-900 rpm)	110-120	48	FAN COIL, 1/6 HP, 115 V, 775/3 SP RPM, DOUBLE SHAFT 11.0 X 1/2 X 11.0	MOT02192
0.17	8 Pole (750-900 rpm)	208-240	48	1/6 HP, 200/230/60/1, PSC, 825 RPM, 48 FRAME, SLEEVE BEARING, CCW, 5 MFD CPT @ 370V	MOT10478
0.17	8 Pole (750-900 rpm)	208-240	48	1/6 HP, 200/230/60/1, PSC, 825 RPM, 48 FRAME, SLEEVE BEARING, CCW, 5 MFD CPT @ 370V	MOT11233
0.17	8 Pole (750-900 rpm)	208-240	48	1/6 HP, 200/230/60/50/1, PSC, 825 RPM, 48 FRAME, SLEEVE BEARING, CCW, 5 MFD CPT @ 370.	MOT12111
0.17	8 Pole (750-900 rpm)	208-240	48	1/6 HP, 230/60/1, 825 RPM, 39 FRAME, CCW, SLEEVE BEARING, 5 MFD CPT	MOT03347
0.17	8 Pole (750-900 rpm)	208-240	48	1/6 HP, 208-230/60/1, BALL BEARING, 825 RPM, TE, 48 FRAME	MOT10130
0.17	8 Pole (750-900 rpm)	440-480	48	1/6 HP, 460/60/1, PSC-1 SPEED, 48 FRAME, 825 RPM, CCW, SLEEVE BEARINGS, 5 MFD CPT @ 370V	MOT10959
0.20	4 Pole (1500-1800 rpm)	110-120	48	1/5 HP, 200-230/60/1, 1625 RPM, 39 FRAME, CCW, SLEEVE BEARING, 5 MFD CPT	MOT02307
0.20	4 Pole (1500-1800 rpm)	208-240	48	1/5 HP, 230/60/1, 1625 RPM, CW, 39, BB, 4 AT 370	MOT02766
0.20	6 Pole (1000-1200 rpm)	110-120	48	1/5 HP, 115/60/1, 1080 RPM, CCW, PSC, 48, SLEEVE, 7.5 AT 370V.	MOT04715

Motor Shop Top Motor Finder

HP	RPM Range	Voltage Range	Frame	Description	ServiceFirst Item #
0.20	6 Pole (1000-1200 rpm)	110-120	48	1/5HP, 115/60/1, 1050RPM, 48 FRAME, CCW, SLEEVE BEARING	MOT02884
0.20	6 Pole (1000-1200 rpm)	110-120	48	1/5HP, 115/60/1, 970/800/600 RPM, PSC	MOT03591
0.20	6 Pole (1000-1200 rpm)	208-240	48	1/5 HP, 1080 RPM, 200-230/60/1, CCW, PSC, 48 FRAME, SLEEVE BEARING, 5 MFD CPT AT 370V	MOT04104
0.20	6 Pole (1000-1200 rpm)	208-240	48	1/5 HP, 1080 RPM, 200-230/60/1, CCW, PSC, 48 FRAME, SLEEVE BEARING, 5 MFD CPT AT 370V	MOT04104
0.20	6 Pole (1000-1200 rpm)	208-240	48	1/5 HP, 200-230/60/1, 1140 RPM, PSC, 48, SLEEVE, 5 AT 370	MOT02644
0.20	6 Pole (1000-1200 rpm)	208-240	48	1/5HP,208-230V,1075RPM,1.7AMP,TE,SLV BRG,W/O CAP. , 48	MOT06312
0.20	6 Pole (1000-1200 rpm)	208-240	48	1/5HP,200-230/60/1 1080RPM, CCW, PSC, 48, SLEEVE, 5 AT 370V	MOT06613
0.20	6 Pole (1000-1200 rpm)	208-240	48	1/5 HP, 200-230/50-60/1, 1080 RPM, 48 FRAME, CW, SLEEVE BEARING, 5 MFD CPT AT 370V,	MOT10409
0.20	6 Pole (1000-1200 rpm)	208-240/440-480	56	1.5HP, 1140RPM, 200/460/60/3, 56 FRAME,OPEN DRIP PROOF TOP, BALL BEARING	MOT06800
0.20	6 Pole (1000-1200 rpm)	208-240/440-480	56	1.5 HP AT 190/380 VOLT, 50HZ, 1.5 HP AT 200-230/460 VOLT, 56 FRAME, THERMAL PROTECTION, BALL BEARING	MOT02464
0.20	6 Pole (1000-1200 rpm)	265-277	48	1/5 HP, 265/60/1, 3 SPEED, 48 FR, 1075/900/700 RPM, 5 MFD @ 370V	MOT04509
0.20	8 Pole (750-900 rpm)	208-240	48	1/5 HP, 200/230/60/1, 825 RPM, CCW, SLEEVE BEARING, TYPE PSC, SLEEVE BEARING, 5.0 MFD CPT AT 370V	MOT03420
0.20	8 Pole (750-900 rpm)	208-240	48	1/5 HP, 200/230/60/50/1, PSC, 825 RPM, 48 FRAME, SLEEVE BEARING, CCW, 5 MFD @ 370V	MOT12207
0.24	6 Pole (1000-1200 rpm)	265-277	42	.24 HP, 277/60/1, 1475/1285/975 RPM, .50 DOUBLE EXTENDED SHAFT	MOT10105
0.25	4 Pole (1500-1800 rpm)	110-120	48	CVHE OIL PUMP MOTOR,115/60/1, .25 HP, 48 FR	MOT02189
0.25	4 Pole (1500-1800 rpm)	110-120	48	1/4HP,1725RPM,115/60/1,RES BASE,ODP,SPLIT PHASE, 48 NEMA FRAME,SLV BRG	MOT06144
0.25	4 Pole (1500-1800 rpm)	208-240	48	1/4HP, 200/230/60/1, 1625 RPM, CCW, SLEEVE BEARING, 5 MFD CPT AT 370V, 55 FR	MOT02326
0.25	4 Pole (1500-1800 rpm)	208-240	48	1/4HP, 200/230/60/1, 1625RPM, 2 SPEED, CCW, 48 FRAME, BALL BEARING, 5 MFD/370V CPT	MOT02309
0.25	4 Pole (1500-1800 rpm)	208-240/440-480	48	230/460V, 1/4HP, 48 FR, 1750 RPM	MOT00405
0.25	4 Pole (1500-1800 rpm)	440-480	48	1/4 HP, 460/60/1, 1625 RPM, CCW, KCP, 39, SLEEVE, 5 MFD	MOT02692
0.25	4 Pole (1500-1800 rpm)	440-480	48	1/4 HP, 380-460/50-60/1, 1370/1625 RPM, CCW, TYPE KCP, 39 FRAME, BALL BEARING, 5 MFD CPT AT 370V	MOT02310
0.25	6 Pole (1000-1200 rpm)	110-120	48	1/4 HP, 115/60/1, OPEN, SLEEVE, .50 SHAFT DIA, CAPACITOR 7.5 MFD @ 370V	MOT09584
0.25	6 Pole (1000-1200 rpm)	110-120	48	1/4HP, 115V/60/1, 1075 RPM, 4.2 FLA, 3 SPEED, 5MFD	MOT07965
0.25	6 Pole (1000-1200 rpm)	110-120	48	1/4 HP, 115/60/1, 1050 RPM, CCW, SHADED POLE, 48 FRAME, SLEEVE BEARING	MOT03020
0.25	6 Pole (1000-1200 rpm)	110-120	48	1/4HP,1075 RPM,115/60/1,HUB RING MNT W/O CAP,OPEN,PSC SLEEVE BEARING, 48	MOT06109
0.25	6 Pole (1000-1200 rpm)	110-120	48	1/4 HP, 115 50/60 1, 1475/1285/975 RPM	MOT12222
0.25	6 Pole (1000-1200 rpm)	110-120	48	1/4HP, 115/60/1, 3 SPEED, PSC, 1100/940/710 RPM, G-9, HI EFFICIENCY	MOT03592
0.25	6 Pole (1000-1200 rpm)	110-120	48	FAN COIL, 1/4 HP, 115V,1100/900/700 RPM, DOUBLE SHAFT 9.6 X 1/2 X 9.6	MOT01618
0.25	6 Pole (1000-1200 rpm)	110-120	48	FAN COIL, 1/4 HP, 115V,1100/900/700 RPM, DOUBLE SHAFT 9.6 X 1/2 X 9.6	MOT01618
0.25	6 Pole (1000-1200 rpm)	110-120	48	1/4HP, 115/60/1, 1050RPM, 48 FRAME, CCW, SLEEVE BEARING, 10 MFD AT 370V.	MOT02646
0.25	6 Pole (1000-1200 rpm)	110-120	48	1/4 HP, 115/60/1 1100 RPM, ENCL	MOT01507
0.25	6 Pole (1000-1200 rpm)	208-240	42	1/4 HP, 200-230/60/1, TYPE PSC BALL BEARING, 42 FRAME, 5.0 MFD/370 V, 1100 RPM, OUTDOOR	MOT08895
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4 HP, 208-230V/60/1, 1075RPM, 1.8 FLA	MOT07961
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4 HP, 200/230/60/50/1, 1075 RPM, TYPE PSC, 48 FRAME CCW, SLEEVE BEARING, 7.5 MFD CPT AT 370V	MOT03125
0.25	6 Pole (1000-1200 rpm)	208-240	42	OUTDOOR,1/4 HP,200/230/60/1, 1075RPM, TYPE PSC, 42 FRAME,CCW, BALL BEARING ,5 MFD @370V	MOT08804
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4 HP, 200-230/60/1,220/50/1, 1080 RPM, 48 FRAME, CW, TYPE PSC, SLEEVE BEARING, 12.5 MFD CPT AT 370V	MOT04403
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4 HP, 200/230/60/1, 1075 RPM, TYPE PSC, 39 FRAME CCW, SLEEVE BEARING, 7.5 MFD CPT AT 370V	MOT02615
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4 HP, 200/230/60/1, PSC, 48 FRAME, 1075 RPM, CCW, SLEEVE BEARINGS, 5 MFD CPT @ 370V	MOT11051
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4HP,1075 RPM,208-230/60/1,STUD MOUNT,W/O CAP, TOTALLY ENC,PSC,SLV,BRG, 48	MOT06038
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4 HP, 208-230V/60/1,1075 RPM, 2.0 FLA, 3 SPEED	MOT07966
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4HP,200-230/60/1 1075RPM, TYPE PSC, 39 FRAME, CCW, SLEEVE BEARING, 10 MFD CPT AT 370V	MOT02611
0.25	6 Pole (1000-1200 rpm)	208-240	42	OUTDOOR, 1/4 HP,200/230/60/1,1075RPM,TYPE PSC, 42 FRAME,CCW,BALL BEARING,7.5 MFD @370V	MOT08805
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4HP,208-230/60/1,HUB RING MNT W/O CAP,OPEN,PSC,SLV BRG.,1075/3 RPM, 48	MOT06110
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4HP, 208-230/60/1, 1100RPM, 6 POLE, 48 FRAME, PSC, 1.4 AMP CLASS B, SLEEVE BEARING, REVERSIBLE	MOT02362
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4 HP, 200-230/60/1, 965 RPM, 48 FRAME, CCW, SLEEVE BEARING, 12.5 MFD CPT AT 370V. MOUNTING FEET INCL.	MOT02599
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4 HP, 230/60/1, 1095 RPM, 48 FRAME, CCW, SLEEVE BEARING, 5 MFD CPT AT 370V	MOT02579
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4 HP, 1133 RPM 200-230/60/1, TYPE PSC, 48 FRAME, 5 MFD AT 370V, NO END BRG CAP	MOT07608

Motor Shop Top Motor Finder

HP	RPM Range	Voltage Range	Frame	Description	ServiceFirst Item #
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4HP, 208-230/60/1, 1075 RPM, TYPE PSC, 48 FRAME CW, SLEEVE BEARINGS, 5 MFD CPT AT 370V	MOT02757
0.25	6 Pole (1000-1200 rpm)	208-240	48	1/4 HP, 208-230/50-60/1, 1075 RPM-3 SPEED, 48 FRAME	MOT12130
0.25	6 Pole (1000-1200 rpm)	208-240	48	OUTDOOR, 1/4 HP, 200-230/60/1, 1075 RPM, TYPE PSC, 48 FRAME, CCW, BALL BEARING, 7.5 MFD CPT AT 370 V.	MOT05317
0.25	6 Pole (1000-1200 rpm)	440-480	48	1/4 HP, 460/50-60/1, 1075 RPM, TYPE PSC, 48 FRAME, CCW, BALL BEARING, 7.5 MFD CPT AT 370V	MOT04096
0.25	6 Pole (1000-1200 rpm)	440-480	48	1/4HP, 460/60/1, 965RPM, 39 FRAME, CW, SLEEVE BEARINGS, 12.5 MFD CPT AT 370V	MOT03012
0.25	8 Pole (750-900 rpm)	208-240	48	1/4 HP, 200-230/60/1, 825 RPM, CCW, 48 FRAME, TYPE PSC, SLEEVE, 7.5 MFD CPT @ 370V	MOT08914
0.25	8 Pole (750-900 rpm)	208-240	48	FAN, 1/4 HP 200/230/60/1, 825 RPM, 48 FRAME, SLEEVE BEARING, CCW, TYPE PSC, 12.5 MFD CPT @ 370V	MOT09646
0.25	8 Pole (750-900 rpm)	208-240	48	1/4 HP, 200/230/60/1, 825 RPM, CCW, 48 FRAME, TYPE PSC, BALL BEARING, 12.5 MFD CPT AT 370V	MOT03419
0.25	8 Pole (750-900 rpm)	208-240	48	MOTOR, 1/4 HP, 200/230/60/1, PSC, 825 RPM, 48 FRAME, SLEEVE BEARING, CCW, 5 MFD CPT @ 370V	MOT10479
0.25	8 Pole (750-900 rpm)	208-240	48	1/4 HP, 208-230/60/1, BALL BEARING, 825 RPM, TE, 48 FRAME	MOT10131
0.25	8 Pole (750-900 rpm)	208-240	48	1/4HP,208-230/60/1 850RPM, CCW, PSC, ENCL, 48, BB, 5.0 AT 440	MOT04752
0.25	8 Pole (750-900 rpm)	208-240	48	1/4HP,208/230/60/1,STUD MOUNT,W/O CAP,TOTALLY ENC,PSC SLEEVE BRG., 825 RPM, 48	MOT06039
0.25	8 Pole (750-900 rpm)	208-240	48	1/4 HP, 208-230/60/1, 2 SPEED, 825 RPM, CCW, TYPE PSC, 48 FRAME, SLEEVE BEARING, 15 MFD CPT AT 370V	MOT07472
0.25	8 Pole (750-900 rpm)	208-240	48	OUTDOOR, 1/4 HP, 200-230/60/1, 825 RPM, TYPE PSC, CCW, SLEEVE BEARINGS, 7.5 MFD CPT AT 370V	MOT12401
0.25	8 Pole (750-900 rpm)	208-240	48	1/4 HP, 200-230/60/1, 850 RPM, CCW, TYPE PSC, INDOOR, 48 FRAME, SLEEVE BEARING, 7.5 MFD CPT AT 370V	MOT08400
0.25	8 Pole (750-900 rpm)	208-240	48	INDOOR, 1/4 HP, 200-230/60/1, 825 RPM, TYPE KCP, CW, BALL BEARINGS, 10 MFD CPT AT 370V	MOT12407
0.25	8 Pole (750-900 rpm)	440-480	48	1/4HP,460/60/1, 850RPM, CCW, ENCL, 48, BB, 5 AT 440	MOT04753
0.25	8 Pole (750-900 rpm)	440-480	48	1/4 HP, 460/60/1, 825 RPM, 48 FRAME, CCW, TYPE PSC, SLEEVE BEARING, 15 MFD CPT AT 370V	MOT11987
0.25	8 Pole (750-900 rpm)	440-480	48	1/4 HP, 460/60/50/1, 825 RPM, 48 FRAME PSC, SLEEVE BEARINGS, CCW, 5 MFD @ 370V	MOT11526
0.33	4 Pole (1500-1800 rpm)	110-120	48	1/3HP,1725RPM,115/60/1,RES BASE,ODP,SPLIT PHASE,48 NEMA FRAME, SLV BRG	MOT06149
0.33	4 Pole (1500-1800 rpm)	208-240	48	1/3 HP, 230/60/1, 1625 RPM, 39 FRAME, CCW, SLEEVE BEARING, 4 MFD CPT	MOT02602
0.33	4 Pole (1500-1800 rpm)	208-240	48	1/3 HP, 230/60/1, 1620 RPM, 39 FRAME, CCW, SLEEVE BEARING, 7.5 MFD CPT	MOT02642
0.33	6 Pole (1000-1200 rpm)	575	48	1/3 HP, 575V, 1100 RPM, CONDENSER	MOT02604
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3 HP, 115/60/1, 1075 RPM, PSC, CCW, 48 FRAME, SLEEVE BEARINGS, 5 MFD, 370V	MOT09053
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3 HP,115V/60/1, 1075 RPM, 6.2 FLA, 3 SPEED, 5MFD	MOT07967
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3HP, 115/60/1, 1075 RPM, 48FRM, TYP PSC, SLEEVE BRG, 10 MFD AT 370V CCW W/RESILIENT RING	MOT07613
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3HP,115/60/1, CCW,1075 RPM,PSC, 48FRM SLEEVE BEARING, 10MFD CPT AT 370V, W/O RESILIENT RING	MOT04722
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3 HP, 115/60/1, 1100/900/700 RPM	MOT02193
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3 HP, 115/60/1, 1100/900/700 RPM	MOT02193
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3 HP, 115/60/1, 1075 RPM, TYPE PSC, 48 FRAME, CCW SLEEVE BEARING, 10 MFD CPT AT 370V,W/MOLEX PLUG,38IN. WIRES	MOT03023
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3HP,115/60/1,HUB RING MNT,W/O CAP,OPEN,PSC,SLV BRG, 1075/3 RPM, 48	MOT06114
0.33	6 Pole (1000-1200 rpm)	110-120	42	1/3 HP, 5.8 AMP, 120/60, OPEN DRIP PROOF	MOT07943
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3 HP, 115/60/1, 1100 RPM, 48 FRAME, CCW ROTATION SLEEVE BEARING, PERMANENT SPLIT CAPACITOR, 10 MFD CPT,AT370V	MOT03096
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3 HP, 115/60/1, 1140 RPM	MOT03782
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3HP, 115/60/1, 1075 RPM, OPEN, 48 FRAME, 5 SPEED 4 MFD AT 370V	MOT02883
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3 HP, 115/60/1, 1250 RPM, OPEN, BALL, .50 SHAFT DIA.	MOT09586
0.33	6 Pole (1000-1200 rpm)	110-120	48	1/3HP, 120V/60/1, 1030/900/700 RPM	MOT04601
0.33	6 Pole (1000-1200 rpm)	120-240-277	48	1/3 HP, 120-240-277/60/1, 0-1200 RPM, 48 FRAME, BALL BEARING, SOFTWARE PROGRAMMABLE ROTATION	MOT11973
0.33/17	6 Pole (1000-1200 rpm)	208-240	48	DIRECT DRIVE CONDENSER, MULTIHORSE,1/3, 1/4, 1/5, 1/6, 208-230/60/1 1075 RPM	MOT09987
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3 HP, 208-230V/60/1, 1075RPM, 2.3 FLA, SNGL SPEED	MOT07962
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3 HP, 200-220-230/50-60/1, 1080 RPM, CW,TYPE PSC, 48 FRAME, SLEEVE BEARING,12.5/15 MFD CPT AT 370V	MOT04102
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3 HP, 208-230V/60/1,1075 RPM, 2.7 FLA, 3 SPEED	MOT07968
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3HP, 200/230/60/1, 1075 RPM, TYPE PSC,48 FRAME, CCW SLEEVE BEARING, 10 MFD CPT AT 370V	MOT02635

Motor Shop Top Motor Finder

HP	RPM Range	Voltage Range	Frame	Description	ServiceFirst Item #
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3 HP, 208-230/60/1, 1100 RPM, 6 POLE, 48 FRAME, PSC, 1.9 AMP, CLASS B, SLEEVE BEARING, REVERSIBLE	MOT02364
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3HP,1075RPM,208-230/60/1,STUD MOUNT,W/O CAP,TOTALLY ENC,SPC SLEEVE BEARING, 48	MOT06040
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3HP,200-230/60/1 1075RPM, 39 FRAME, CCW, SLEEVE BEARING, 10 MFD CPT AT 370V	MOT02613
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3HP,208-230/60/1,HUB RING MINT,W/O CAP,OPEN,PSC,SLV BRG.,1075/4, 48	MOT06115
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3HP, 200-230/60/1, 1080 RPM, TYPE KCP, 39 FRAME CCW, SLEEVE BEARING, 7.5 MFD CPT AT 370V	MOT02304
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3 HP, 200-230/60/1, 1075 RPM, 48 FRAME, CCW, SLEEVE BEARING, 12.5 MFD CPT AT 370V,	MOT02584
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3HP,208-230/60/1 1075RPM, CCW, PSC, ENCL 48, BB, 5 AT 370V	MOT04738
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3 HP, 200-230/60/1, 1080 RPM, CCW, ODP, 39, SLEEVE 12.5 AT 370V	MOT06362
0.33	6 Pole (1000-1200 rpm)	208-240	48	OD FAN, 1/3 HP, 208-230/60/1, 1115 RPM, CCW LEAD END, 48 FRAME, SLEEVE BEARINGS, 7.5 MFD CPT AT 370V	MOT10337
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3 HP, 200-230/60/1, 1080 RPM, TYPC PSC, 48 FRAME, CCW, SLEEVE BEARING, 10 MFD CPT AT 370V	MOT09662
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3 HP, 208-230/60/1, 1080 RPM, 39 FRAME, SLEEVE BRG, CCW, PSC	MOT09817
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3HP,208-230/60/1 1075RPM, CW, PSC, ODP, 48, SLEEVE BRG, 7.5 AT 440V	MOT04750
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3 HP 208-230/50-60/1	MOT09126
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3 HP, 208-230/60, 3 SPEED, 48 FR, 1075/900/700 RPM	MOT04513
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3 HP, 200-230/60/1, 1075 RPM, CCW, TYPE PSC, INDOOR, 48 FRAME, SLEEVE BEARING, 7.5 MFD CPT AT 370V	MOT08401
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3 HP, 208-230/60/1, 1075 RPM, TYPE PSC 48 FRAME, CW, SLEEVE BEARING, 5MFD CPT AT 370V	MOT04584
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3HP,230V,1100/3RPM,2.3AMP,TE,SLV BRG,HUB RING MOUNT W/CAP, 48	MOT06322
0.33	6 Pole (1000-1200 rpm)	208-240	48	1/3HP, 200/230/50/60/1,1160RPM 39 FRAME, CCW, BALL BRG, 5 MFD CPT	MOT03351
0.33	6 Pole (1000-1200 rpm)	265-277	48	1/3HP, 277/60/1, 1030/900/750 RPM	MOT04602
0.33	6 Pole (1000-1200 rpm)	265-277	48	1/3HP, 277/60/1, 1030/900/750 RPM	MOT04600
0.33	6 Pole (1000-1200 rpm)	265-277	48	1/3 HP, 265/60/1, 1070/1060/1040/1035 RPM, 48 FRAME, SLEEVE BRG, CCW, PSC	MOT09825
0.33	6 Pole (1000-1200 rpm)	265-277	48	1/3HP, 277-60-1, 48, 1075/900/700, 5 MFD @ 370V	MOT04518
0.33	6 Pole (1000-1200 rpm)	440-480	48	1/3 HP, 460/60/1, 1100 RPM, 6 POLE, 48 FRAME, PSC, 1.1 AMP, CLASS B, SLEEVE BEARING, REVERSIBLE	MOT02371
0.33	6 Pole (1000-1200 rpm)	440-480	48	1/3HP,460/60/1, 1075RPM, CW, PSC, ODP, 48, BB, 7.5 AT 440	MOT04751
0.33	6 Pole (1000-1200 rpm)	440-480	48	1/3 HP, 460/60/1, 48, 1075/900/700 RPM	MOT04505
0.33	6 Pole (1000-1200 rpm)	440-480	48	1/3 HP, 380-415/460/50/60/1, 1080 RPM, 48 FRAME, CW, TYPE PSC, SLEEVE BEARING, 12.5 MFD CPT AT 370V	MOT04103
0.33	6 Pole (1000-1200 rpm)	440-480	48	1/3HP,460/60/1, 1075RPM, CCW, PSC, ENCL, 48, BB, 5MFD AT 370V	MOT04742
0.33	6 Pole (1000-1200 rpm)	440-480	48	OD FAN, 1/3 HP, 460/60/1, 1115 RPM, CCW LEAD END, 48 FRAME, SLEEVE BEARINGS, 7.5 MFD CPT AT 370V	MOT10338
0.33	6 Pole (1000-1200 rpm)	440-480	48	1/3 HP, 460/60/1, DOUBLE SHAFT	MOT04588
0.33	6 Pole (1000-1200 rpm)	440-480	48	1/3 HP, 460/60/1, 1080/1040/1000 RPM, 48 FRAME, SLEEVE BRG, CCW, PSC	MOT09830
0.33	6 Pole (1000-1200 rpm)	440-480	48	ID FAN, 1/3 HP, 460/60/1, 1075 RPM, CW LEAD END, 48 FRAME, SLEEVE BEARINGS, 12.5 MFD CPT AT 370V	MOT10346
0.33	8 Pole (750-900 rpm)	110-120	48	1/3 HP, 115/60/1, 900 RPM, SLEEVE, OPEN, .50 SHAFT DIA.	MOT09585
0.33	8 Pole (750-900 rpm)	208-240	48	CONDENSER, 1/3 (MULTI-HP), 825/2 RPM, 2080230 VOLT, 7.5/370 CAP REQUIRED	MOT11099
0.33	8 Pole (750-900 rpm)	208-240	48	1/3 HP, 200/230/60/1, 660 RPM, 48 FRAME, BALL BEARING, CCW	MOT11541
0.33	8 Pole (750-900 rpm)	208-240	48	1/3 HP, 850 RPM, 200-230/60/1, 48 FRAME, CCW, BALL BEARING	MOT10117
0.33	8 Pole (750-900 rpm)	208-240	48	1/3 HP, 850 RPM, 200-230/60/1, 48 FRAME, CCW, BALL BEARING	MOT10115
0.33	8 Pole (750-900 rpm)	208-240	48	1/3 HP, 200/230/60/1, 850 RPM, 48 FRAME, BALL BEARING, CCW	MOT12005
0.33	8 Pole (750-900 rpm)	208-240	48	1/3 HP, 850 RPM, 200-230/60/1, 48 FRAME, CCW, BALL BEARING	MOT10118
0.33	8 Pole (750-900 rpm)	208-240	48	1/3 HP, 208-230/60/1, 825 RPM, 8 POLE, 48 FRAME, PSC, CLASS B, SLEEVE BEARING, REVERSIBLE	MOT02365
0.33	8 Pole (750-900 rpm)	208-240	48	1/3HP, 200/230/60/1, 825 RPM, 48 FRAME, PERMANENT SPLIT CAPACITOR, SLEEVE BEARING, 12.5 MFD CPT AT 370V	MOT03404
0.33	8 Pole (750-900 rpm)	208-240	48	1/3 HP, 208-230/60/1, BALL BEARING, 825 RPM, TE, 48 FRAME	MOT10132
0.33	8 Pole (750-900 rpm)	208-240	48	1/3 HP, 200-230/60/1, 825 RPM, TYPE PSC, 48 FRAME CCW, BALL BEARING, 12.5 MFD CPT AT 370V	MOT04037
0.33	8 Pole (750-900 rpm)	208-240	48	1/3 HP, 850 RPM, 200-230/60/1, 48 FRAME, CCW, BALL BEARING	MOT10116
0.33	8 Pole (750-900 rpm)	208-240	48	1/3HP, 200/230/60/1, 825 RPM, 48 FRAME PERMANENT SPLIT CAPACITOR, SLEEVE BEARING, 12.5 MFD CPT AT370V CCW	MOT03505
0.33	8 Pole (750-900 rpm)	208-240	48	1/3HP, 230/60/1, 860RPM, 39 FRAME, CCW, SLEEVE BEARING, 12.50 MFD CPT	MOT03502

Motor Shop Top Motor Finder

HP	RPM Range	Voltage Range	Frame	Description	ServiceFirst Item #
0.33	8 Pole (750-900 rpm)	208-240	48	CONDENSER, 39 FRAME, MULTI HORSEPOWER, 1/3 HP (Max) RPM 825/2, REV, VOLTS 208-230/60/1, GE 3469	MOT11731
0.33	8 Pole (750-900 rpm)	440-480	48	1/3 HP, 460/50-60/1, 825 RPM, PSC, 48, CCW, BALL BEARING, 7.5 AT 370V	MOT04543
0.33	8 Pole (750-900 rpm)	440-480	48	1/3 HP, 460/60/1, 825 RPM, TYPE PSC, 48 FRAME, CCW, BALL BEARING, 7.5 MFD CPT AT 370V	MOT03025
0.33	8 Pole (750-900 rpm)	440-480	48	1/3 HP, 460/60/1, 825 RPM, 48 FRAME, 7.5 MFD CPT AT 370V, 1.0 AMP, CLASS B, SLEEVE BEARING, REVERSIBLE	MOT02359
0.40	4 Pole (1500-1800 rpm)	440-480	48	2/5HP, 460/60/1, 1400RPM, CW, PSC, 48, SLEEVE, 7.5 AT 440V	MOT05168
0.40	6 Pole (1000-1200 rpm)	208-240	48	2/5HP, 208-230/60/1 1075RPM, CCW, PSC, 48, BB, 440/5 MFD	MOT04762
0.40	6 Pole (1000-1200 rpm)	208-240	48	OD FAN, 2/5 HP, 208-230/60/1, 200/50/1, 1115/950 RPM, CCW LEAD END, 48 FRAME, SLEEVE BEARINGS, 7.5 MFD CPT AT 370V	MOT10340
0.40	6 Pole (1000-1200 rpm)	440-480	48	2/5HP, 460/60/1, 1075RPM, CCW, PSC, 48, ENCL, SLEEVE BEARING, 5 AT 370V	MOT04763
0.40	6 Pole (1000-1200 rpm)	440-480	48	OD FAN, 2/5 HP, 460/60/1, 380-415/50/1, 1115/940 RPM, CCW LEAD END, 48 FRAME, SLEEVE BEARINGS, 7.5 MFD CPT AT 370V	MOT10341
0.50	2 Pole (3200-3600 rpm)	575	48	CONDENSER 1/2 HP 575/60/1, 1625 RPM, CCW	MOT02606
0.50	2 Pole (3200-3600 rpm)	208-240/440-480	56	1 1/2 HP, 200-230/460/50-60/3, 3450 RPM, 2 POLE	MOT03079
0.50	4 Pole (1500-1800 rpm)	110-120	48	1/2 HP, 115/60/1, 1410 RPM, OPEN, BALL, .50 SHAFT DIA.	MOT09587
0.50	4 Pole (1500-1800 rpm)	110-120	56	1/2 HP, 115/230/60/1, ODP, 1800 RPM, 56 FRAME	MOT05365
0.50	4 Pole (1500-1800 rpm)	208-240	48	1/2 HP 208-230/60/1, BALL BEARING	MOT02360
0.50	4 Pole (1500-1800 rpm)	440-480	48	1/2 HP, 460/60/1, 1625 RPM, 48 FRAME, 7.5 MFD 370V, CLASS B, BALL BEARING, REVERSIBLE, 2.1 AMPS	MOT02366
0.50	6 Pole (1000-1200 rpm)	575	48	1/2 HP, 575/60/1, 1100 RPM, 48 FRAME, BALL BEARINGS, CCW, 1.2 FLA, 3.0 LRA, 10 MFD AT 440VAC	MOT03776
0.50	6 Pole (1000-1200 rpm)	575	48	INDOOR, DIRECT DRIVE, .50 HP, 575/60/1, 1075 RPM, 2 SPD, TYPE PSC, CW LEAD END, 20 MFD CPT	MOT10350
0.5/17	6 Pole (1000-1200 rpm)	110-120	48	DIRECT DRIVE BLOWER, MULTI HORSE POWER, 1/2, 1/3, 1/4, 1/5, 1/6, RPM 1075/4, VOLTS 115, AMPS	MOT09985
0.50	6 Pole (1000-1200 rpm)	110-120	48	1/2 HP, 115/60/1, 1075 RPM, TYPE PSC, 48 FRM, CCW, SLEEVE BRG, 15 MFD @ 370V, INCLUDES RESILIENT RINGS	MOT11992
0.50	6 Pole (1000-1200 rpm)	110-120	48	1/2HP, 115V/60/1, 1075 RPM, 9.0 FLA, 3 SPEED, 5MFD	MOT07969
0.50	6 Pole (1000-1200 rpm)	110-120	48	1/2 HP, 115/60/1, 1075 RPM, TYPE PSC, 48 FRAME, CCW, SLEEVE BEARING, 10 MFD @ 370V, INCLUDES RESILIENT RINGS	MOT11993
0.50	6 Pole (1000-1200 rpm)	110-120	48	1/2HP, 115/60/1, 1375RPM, TYPE PSC, 48 FR, CCW, SLEEVE BEARING, 15MFD CPT AT 370V	MOT03019
0.50	6 Pole (1000-1200 rpm)	110-120	48	1/2HP, 1075 RPM, 208-230/60/1, STUD MOUNT, W/O CAP, TOTALLY ENC, PSC, SLEEVE BEARING, 48	MOT06041
0.50	6 Pole (1000-1200 rpm)	110-120	48	1/2HP, 115/60/1, HUB RING MNT, W/O CAP, OPEN, PSC, SLV BRG, 1075/3 RPM, 48	MOT06119
0.50	6 Pole (1000-1200 rpm)	110-120	48	1/2 HP 115/60/1, 1075 RPM, 48 FRAME, CCW, SLEEVE BEARING, 10 MFD CPT AT 370V	MOT02619
0.50	6 Pole (1000-1200 rpm)	110-120/208-240	48	1/2 HP, 120-240/60/1, 0-1200 RPM, 48 FRAME, BALL BEARING, SOFTWARE PROGRAMMABLE ROTATION	MOT11974
0.5/17	6 Pole (1000-1200 rpm)	208-240	48	DIRECT DRIVE BLOWER, MULTI-HORSE, 1/2, 1/3, 1/4, 1/5, 1/6, 1075/4 RPM, 208-230/60/1	MOT09986
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2 HP, 1100 RPM, 208-230/60/1, CCW, TEAOM, 48 FRAME, BALL BEARING, 10 MFD AT 440V	MOT03774
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2HP, 208-230/60/1, 1075RPM, CCW, PSC, ENCL, 48, SLEEVE BEARING, 7.5@440	MOT04756
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2 HP, 208-230/60/1, 1080 RPM, CCW, TYPE PSC, 48 FRAME, SLEEVE BEARING, 7.5 MFD AT 370V	MOT08250
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2 HP, 200-230/60/1, 1075RPM, CCW, PSC, 39, SLEEVE, 10 AT 370	MOT02609
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2HP, 200-230/60/1, 1075 RPM, TYPE KCP, 39 FRAME, CCW ROTATION, SLEEVE BEARING, 12.5 MFD CPT	MOT02637
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2 HP, 208-230V/60/1, 1075RPM, 2.8 FLA, SNGL SPEED	MOT07963
0.50	6 Pole (1000-1200 rpm)	208-240	48	CONDENSER, 1/2 (MULTI-HP), 1075/2 RPM, 2080230 VOLT, 10/370 CAP REQUIRED	MOT11100
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2HP, 208-230V/60/1, 1075 RPM, 4.3 FLA, 3 SPEED	MOT07970
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2HP, 208/230/60/1, 1075/750 RPM, 48 FRAME, REV SLEEVE BEARING, 10 MFD CPT	MOT03433
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2 HP, 200-230/60/1, 1100RPM, 48 FRAME, BALL BEARING, 10MFD CPT AT 370V	MOT05418
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2 HP, 200-230/60/1, 1080 RPM, TYPE PSC, 39 FRAME, CCW, SLEEVE BEARING, 20.0 MFD CPT AT 370V	MOT06359
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2HP, 208-230/60/1 975RPM, CCW, PSC, 48, BB, 7.5 AT 440 V	MOT04761
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2 HP, 208-230/60/1, 1100 RPM, 48 FRAME, 2.9 AMP, 7.5 MFD 370V, SLEEVE BEARING, REVERSIBLE, CLASS B	MOT02368
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2HP, 208-230/60/1, HUB RING MNT, W/O CAP, OPEN, PSC, SLV BRG., 1075/3, 48	MOT06120
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2 HP, 200-230/60/1, 1075 RPM, CCW, PSC, INDOOR, 48 FRAME, SLEEVE BEARINGS, 7.5 MFD AT 370V	MOT08500

Motor Shop Top Motor Finder

HP	RPM Range	Voltage Range	Frame	Description	ServiceFirst Item #
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2HP,200/230/60/1 1100RPM, 48 FRAME, CCW, SLEEVE BEARINGS, 7.5 MFD CPT AT 370V	MOT03515
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2HP, 200/230/60/1, 1115RPM, 33 FRAME, CCW, BALL BEARING, 5 MFD CPT	MOT03325
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2 HP, 208-230/60/1, 1080 RPM, 39 FRAME, SLEEVE BRG, CCW, PSC	MOT09819
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2 HP, 200-230/60/1, 1075 RPM, CCW, PSC, INDOOR, 48 FRAME, SLEEVE BEARINGS, 12.5 MFD AT 370V	MOT08502
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2 HP, 208-230/50-60/1, 1075 RPM-3 SPEED, 48 FRAME	MOT12136
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2HP, 208-230/60/1M 48 FR, 1075/900/700 RPM	MOT04515
0.50	6 Pole (1000-1200 rpm)	208-240	48	1/2 HP, 200-230/60/1, 1120 RPM, 39 FRAME, CCW, SLEEVE BEARING, 15 MFD CPT AT 370V	MOT03006
0.50	6 Pole (1000-1200 rpm)	208-240	48	INDOOR, 1/2 HP, 200-230/60/1, 1000 RPM, TYPE PSC, 48 FRAME, CCW, SLEEVE BEARING, 15 MFD CPT @ 370V	MOT11863
0.50	6 Pole (1000-1200 rpm)	265-277	48	1/2HP, 277V/60/1, 1075/900/750 RPM	MOT04604
0.50	6 Pole (1000-1200 rpm)	440-480	48	1/2HP, 400-460/50-60/1, 1100/925 RPM, CCW, 48 FRAME, BALL BEARING, 10 MFD CPT AT 440V	MOT03775
0.50	6 Pole (1000-1200 rpm)	440-480	48	1/2HP, 460-400/60-50/1, 1075/900RPM, PSC, ENCL, 48, 7.5 AT 440V	MOT04757
0.50	6 Pole (1000-1200 rpm)	440-480	48	1/2 HP, 380-415/50/1, 460/60/1, 1100 RPM, 48 FRAME, CCW, BALL BEARING, 10 MFD CPT AT 370V (REVERSIBLE ROTATION PLUG INCLUDED)	MOT05419
0.50	6 Pole (1000-1200 rpm)	440-480	48	1/2HP, 460/50-60/1, 1100 RPM, 48 FRAME, CCW SLEEVE BEARINGS, 10 MFD CPT AT 370V	MOT02840
0.50	6 Pole (1000-1200 rpm)	440-480	48	1/2 HP, 380-415/460/50/60/1, 1080 RPM, 48 FRAME, CCW, TYPE PSC, CLASS B, SLEEVE BEARING, 7.5 MFD CPT AT 370V	MOT04105
0.50	6 Pole (1000-1200 rpm)	440-480	48	1/2 HP, 460/60/1, 3 SPD, 48, 1075/900/700 RPM	MOT04516
0.50	6 Pole (1000-1200 rpm)	440-480	48	1/2 HP, 460/60/1, 1100/1054/1000 RPM, 48 FRAME, SLEEVE BRG, CCW, PSC	MOT09827
0.50	6 Pole (1000-1200 rpm)	440-480	48	1/2HP, 380-460/50-60/1, 1150 RPM, TYPE KCP, 39 FRAME CCW ROTATION, BALL BEARING, 5 MFD CPT	MOT02305
0.50	6 Pole (1000-1200 rpm)	440-480	48	1/2HP, 460/60/1, 1100RPM,48FR,1.5AMP,7.5 MFD 370V,SLEEVE BEARING, CLASS B, REVERSIBLE	MOT02367
0.50	6 Pole (1000-1200 rpm)	440-480	48	1/2 HP, 380-415/460/50/60/1, 915/1100 RPM, 48 FRAME, CCW, SLEEVE BEARING, 10 MFD CPT AT 370V	MOT03517
0.50	6 Pole (1000-1200 rpm)	440-480	48	1/2HP,460/60/1,48 FRAME,2 SPEED,1080/1030 RPM, SLEEVE, CCW	MOT07583
0.50	6 Pole (1000-1200 rpm)	440-480	48	OUTDOOR, .50 HP, 460/60/1, 975 RPM, 48 FRAME, TYPE KCP CCW ROTATION, SLEEVE BEARINGS,2.0 FLA,3.4 LRA,7.5MFD @ 440VAC	MOT05335
0.50	6 Pole (1000-1200 rpm)	440-480	48	1/2 HP, 460/60/1, BALL BEARING, 1075 RPM, TE, 48 FRAME	MOT10139
0.50	8 Pole (750-900 rpm)	208-240	48	1/2HP,208-230/60/1 850RPM, CW, PSC, ODP, 48, BB, 10 MFD AT 370V	MOT04739
0.50	8 Pole (750-900 rpm)	265-277	48	1/2HP OR 3/4HP, 277/60/1, 750/630 RPM BOTH 1/2HP & 3/4HP MOTORS HAVE SAME SPECIFICATIONS AND ARE INTERCHANGEABLE. ONLY DIFFERENCE IS HOW VENDOR RATES HP.	MOT04606
0.50	8 Pole (750-900 rpm)	440-480	48	1/2HP,460/60/1,850RPM,CW,PSC,ODP,48,SB,10MFD AT370V	MOT04741
0.60	6 Pole (1000-1200 rpm)	208-240	48	INDOOR, DIRECT DRIVE, .60 HP, 208-230/60-50/1, 1075 RPM, 2 SPD, TYPE PSC, CW LEAD END	MOT10351
0.60	6 Pole (1000-1200 rpm)	440-480	48	INDOOR, DIRECT DRIVE, .60 HP, 460/380-415/50-60/1, 1075 RPM, 2 SPD, TYPE PSC, CW LEAD END, 15 MFD CPT	MOT10352
0.60	8 Pole (750-900 rpm)	208-240	48	3/5HP,208-230/60/1 850RPM, CW, ODP, 48, BB, 10 MFD AT 440V	MOT04755
0.60	8 Pole (750-900 rpm)	440-480	48	3/5 HP, 460/60/1, 850 RPM, CW, BB, 48, 10 AT 440V	MOT04759
0.70	6 Pole (1000-1200 rpm)	208-240	48	.70 HP, 208-230/60/1, 1100 RPM, CCW LEAD END, TYPE PSC, 48 FRAME, BALL BEARING, 20 MFD CPT AT 370V	MOT10508
0.70	6 Pole (1000-1200 rpm)	440-480	48	.7 HP, 460/380-415/60-50/1, 1100 RPM, CCW LEAD END, TYPE PSC, 48 FRAME, BALL BEARING, 15 MFD CPT AT 370V	MOT10509
0.75	4 Pole (1500-1800 rpm)	110-120/208-240	56	3/4HP,115/208-230/60,RES BASE,CAP,START-CAPRUN,ODP, 56 NEMA,SLV BRG.,1725 RPM	MOT06186
0.75	4 Pole (1500-1800 rpm)	208-240	48	3/4 HP,200-230/50-60/1,1625 RPM,KCP,ODP,39,SLEEVE, 12.5 AT 370V	MOT03329
0.75	4 Pole (1500-1800 rpm)	208-240/440-480	56	3/4 HP, 208-230-460/60/3, 1800RPM, ODP, 56, BB	MOT01872
0.75	6 Pole (1000-1200 rpm)	110-120	48	3/4 HP, 115/60/1, 1075 RPM, CCW, PSC, 48 FRAME, SLEEVE BEARING, 10 MFD CPT AT 370V	MOT04717
0.75	6 Pole (1000-1200 rpm)	110-120	48	3/4HP, 115V/60/1, 1075 RPM, 11.2 FLA, 3 SPEED, 15MFD	MOT07971
0.75	6 Pole (1000-1200 rpm)	110-120	48	3/4 HP, 115/60/1, 1100 RPM, TYPE PSC, 48 FRAME, CCW, SLEEVE BEARING, 15 MFD @ 370V, INCLUDES RESILIENT RINGS	MOT11994
0.75	6 Pole (1000-1200 rpm)	110-120	48	3/4HP, 115/60/1, 1100RPM, CCW, PSC,48FR, SLEEVE, 20 AT 370V	MOT04723
0.75	6 Pole (1000-1200 rpm)	110-120	48	3/4 HP, 115 VOLT, 4-SPEED, MULTI-HP	MOT10274
0.75	6 Pole (1000-1200 rpm)	110-120	48	3/4HP, 115/60/1, 1075RPM, 48 FRAME PERMANENT SPLIT CAPACITOR, SLEEVE BRG, 10 MFD CPT AT 370V	MOT03022
0.75	6 Pole (1000-1200 rpm)	110-120	48	3/4 HP, 115/60/1, 1075 RPM, CCW, PSC, 48, SLEEVE, 20 MFD AT 370V	MOT03021
0.75	6 Pole (1000-1200 rpm)	110-120	48	3/4 HP,115/60/1, 1075 RPM, CCW, PSC, 48, SLEEVE, 15 AT 370V	MOT03484
0.75	6 Pole (1000-1200 rpm)	110-120	48	3/4 HP, 115/60/1, 1140 RPM, OPEN, BALL, .50 SHAFT DIA	MOT09588

Motor Shop Top Motor Finder

HP	RPM Range	Voltage Range	Frame	Description	ServiceFirst Item #
0.75	6 Pole (1000-1200 rpm)	110-120	48	3/4 HP, 115/50-60/1, 1075 RPM-3 SPEED, 48 FRAME	MOT12134
0.75	6 Pole (1000-1200 rpm)	110-120	48	3/4 HP, 115/60/1, HUB RING MNT, W/O CAP, OPEN, PSC, SLV BRG, 1075/3RPM	MOT09415
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4 HP, 200-230/60/1, 1075 RPM, CCW, PSC, 48, SLEEVE, 15 AT 370	MOT03026
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4 HP, 220-200/230/50-60/1, 1080 RPM, TYPE PSC 48 FRAME, CW, SLEEVE BEARING, 15 MFD CPT AT 370	MOT04586
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4 HP, 208-230/60/1, 1100 RPM, 6 POLE, 48 FRAME, PSC, 5.0 AMP, CLASS B, SLEEVE BEARING, REVERSIBLE	MOT02361
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4HP, 208-230V/60/1,1075 RPM, 5.0 FLA, 3 SPEED	MOT07972
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4 HP, 208-230 VOLT, 4-SPEED, MULTI-HP	MOT10275
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4 HP, 208-230V/60/1, 1075 RPM, 3.9 FLA, SINGLE SPEED, 10 MFD @ 370V	MOT07964
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4HP, 200-230/60/1, 1075 RPM, CCW, ODP, PSC, 39, SLEEVE, 15 AT 370V	MOT06360
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4 HP, 200-230/60/1, 1150 RPM, 39 FRAME, CCW, SLEEVE BEARING, 15 MFD CPT	MOT03330
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4 HP, 200-230/60/1, 1145 RPM, TYPE PSC, 48 FRAME CW SLEEVE BEARING, 15 MFD CPT AT 370V	MOT05423
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4 HP, 200-230/60/1, 1075 RPM, CCW, SLEEVE BEARING, 25 MFD CPT AT 370V, 48 FR	MOT02422
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4 HP, 208-230/60/1, 1100 RPM, CCW LEAD END, TYPE PSC, 48 FRAME, BALL BEARING, 25 MFD CPT AT 370V	MOT10511
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4HP, 200-230/60/1, 1015 RPM, CCW, CLASS B, SLEEVE BEARING, 20 MFD CPT AT 370V, 48 FR	MOT02323
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4 HP,200-230/60/1,1075 RPM,CW,SLEEVE,25 AT 370V	MOT03015
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4HP,208/240/60/1 1075RPM, 48 FRAME, CCW, SLEEVE BEARING, 7.5 MFD CPT	MOT03459
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4 HP, 208-230/50-60/1, 1075 RPM-3 SPEED, 48 FRAME	MOT12137
0.75	6 Pole (1000-1200 rpm)	208-240	48	3/4HP,1075RPM,208-230/60/1,STUD MOUNT W/O CAP,TOTALLY ENC, PSC,SLEEVE BEARING, 3/4 STUD EXT BOTH ENDS, 48	MOT06042
0.75	6 Pole (1000-1200 rpm)	440-480	48	3/4 HP, 460/60/1, 1100 RPM, 6 POLE, 48 FRAME, PSC, 2.7 AMP, CLASS B, SLEEVE BEARING, REVERSIBLE	MOT02369
0.75	6 Pole (1000-1200 rpm)	440-480	48	3/4 HP, 380-415/460/50-60/1, 1080RPM, TYPE PSC 48 FRAME, CW SLEEVE BEARING, 15 MFD CPT AT 370V	MOT04585
0.75	6 Pole (1000-1200 rpm)	440-480	48	3/4 HP, 460/380-415/60-50/1, 1100 RPM, CCW LEAD END, TYPE PSC, 48 FRAME, BALL BEARING, 10 MFD CPT AT 370V	MOT10512
0.75	6 Pole (1000-1200 rpm)	440-480	48	3/4 HP, 400-460/50-60/1 1040/875 RPM, 48	MOT06438
0.75	6 Pole (1000-1200 rpm)	440-480	48	3/4 HP, 460/60/1, 1040 RPM, CV, PSC, 48, SLEEVE, 10.0MFD-370VAC	MOT05169
0.75	6 Pole (1000-1200 rpm)	440-480	48	3/4 HP, 460/60/1, 1100 RPM, TYPE PSC, 48 FRAME, TOTALLY ENCLOSED, BALL BEARING, 12.5 MFD CPT AT 370V	MOT02545
0.75	6 Pole (1000-1200 rpm)	440-480	48	3/4 HP, 400-460/50-60/1,1075RPM CW, SLEEVE BEARING, 25 MFD CPT AT 370V	MOT03014
0.75	8 Pole (750-900 rpm)	208-240	48	INDOOR,3/4HP,220/50/1,900RPM,48 FRAME,CCW,SLEEVE, BEARING, 15 MFD @ 370 V	MOT05746
0.87	6 Pole (1000-1200 rpm)	440-480	48	INDOOR, DIRECT DRIVE, .87 HP, 460/380-415/60-50/1, 1075 RPM, 2 SPD, TYPE PSC, CW LEAD END, 15 MFD CPT	MOT10355
0.90	6 Pole (1000-1200 rpm)	208-240	48	ID FAN, .9 HP, 208-230/60/1, 1075 RPM, CW OPPOSITE SHAFT END, 48 FRAME, BALL BEARINGS, 15 MFD CPT AT 370V	MOT10343
0.90	6 Pole (1000-1200 rpm)	440-480	48	ID FAN, .9 HP, 4600/60/1, 1075 RPM, CW LEAD END, 48 FRAME, BALL BEARINGS, 15 MFD CPT AT 370V	MOT10344
1.00	4 Pole (1500-1800 rpm)	208-240/440-480	56	1 HP, 208-230/460/60/3, 1725 RPM, 56 FRAME, CCW BALL BEARING, 3.8-4.2/2.1 FLA, 32.2 LRA	MOT02913
1.00	6 Pole (1000-1200 rpm)	575	48	1.0 HP, 575/60/1, 1125 RPM, 48Y, BB, CCW,25AT 440V	MOT05718
1.00	6 Pole (1000-1200 rpm)	575	56	1 HP, 575/60/3, 1125 RPM, 56	MOT01174
1.00	6 Pole (1000-1200 rpm)	575	48	1 HP, 575/60/1, 1125 RPM, 48 FRAME, BB, CCW, 2.0 FLA, 5.1 LRA, 25MFD AT 440 VAC.	MOT09193
1.00	6 Pole (1000-1200 rpm)	208-240	48	3/4 OR 1.0 HP, 120-240/60/1, 0-1200 RPM, 48 FRAME, BALL BEARING, SOFTWARE PROGRAMMABLE ROTATION	MOT11976
1.00	6 Pole (1000-1200 rpm)	208-240	48	1HP,208-230/60/1, 1125RPM, CCW, TEAOM, 48, BB, 25MFD AT 440VAC	MOT03771
1.00	6 Pole (1000-1200 rpm)	208-240	48	.75/1.0 HP, 200-208-230/50-60/1, 950/1125 RPM, 48 FRAME, BB, CCW, TYPE PSC, 4.4/5.0 FLA, 14.8/14.4 LRA, 25MFD AT 440 VAC.	MOT09188
1.00	6 Pole (1000-1200 rpm)	208-240	56	1 H.P., 200-230/60/3, 56 FRAME, 1140 RPM	MOT01826
1.00	6 Pole (1000-1200 rpm)	208-240	48	1 HP, 200-230/60/1, 1100 RPM, 48 FRAME, REVERSIBLE, BALL BEARING, 25 CPT AT 370 VOLT	MOT05420
1.00	6 Pole (1000-1200 rpm)	208-240	48	1.0 HP, 200-230/60/1, 1100 RPM, PARTIALLY OPEN, 48Y FRAME, BALL BEARING, 25 MFD CPT AT 370V, REVERSING PLUG ON LEAD END FRAME	MOT09374
1.00	6 Pole (1000-1200 rpm)	208-240	48	1HP,200-230/60/1,1100RPM,CCW,ODP,48,BB,12.5 AT 370V	MOT03510
1.00	6 Pole (1000-1200 rpm)	208-240	56	1 HP, 200-230/60/3, 56 FRAME, BELLY BAND, ODP, BALL BEARING, CCW ROTATION, 1140 RPM, W/RUBBER PLUG-IN ADAPTER	MOT11206

Motor Shop Top Motor Finder

HP	RPM Range	Voltage Range	Frame	Description	ServiceFirst Item #
1.00	6 Pole (1000-1200 rpm)	208-240	48	1 HP, 200-230/60/1,1075 RPM, CCW, 39, SLEEVE, 15 AT 370V	MOT03369
1.00	6 Pole (1000-1200 rpm)	208-240/440-480	56	1 HP, 200-230-460/50-60/3, 56 FRAME, 1140 RPM	MOT02463
1.00	6 Pole (1000-1200 rpm)	440-480	48	.75/1.0 HP, 380-415-460/50-60/1, 950/1125 RPM, 48 FRAME, BB, CCW, 2.5/2.9 FLA, 5.8 LRA, 25MFD AT 440 VAC.	MOT09192
1.00	6 Pole (1000-1200 rpm)	440-480	56	1 HP, 460/60/3, 1140 RPM, 56, BB	MOT01827
1.00	6 Pole (1000-1200 rpm)	440-480	48	1HP,400-460/50-60/1,950-1125RPM,CCW,48Y,BB,25AT 440V	MOT05717
1.00	6 Pole (1000-1200 rpm)	440-480	48	1 HP, 380-415/460/50-60/1, 1100 RPM, REVERSIBLE, 48 FRAME, BALL BEARING, 25 CPT AT 370V, .50 INCH SHAFT DIA, SLG00060 INCLUDED	MOT05421
1.00	6 Pole (1000-1200 rpm)	440-480	48	1.0 HP, 380-415/460/50-60/1, 1100 RPM, 48Y FRAME, BALL BEARING, 25 MFD CPT AT 370V, .625 INCH SHAFT DIA, REVERSING PLUG ON LEAD END FRAME	MOT09375
1.00	6 Pole (1000-1200 rpm)	440-480	56	1 HP, 460/60/3, 56 FRAME, BELLY BAND, ODP, BALL BEARING, CCW ROTATION, 1140 RPM,	MOT11207
1.00	6 Pole (1000-1200 rpm)	440-480	48	1HP,460/60/1, 48 FRAME, 2 SPEED, BALL BEARING, 25 MFD@440V.	MOT06768
1.00	6 Pole (1000-1200 rpm)	440-480	48	1HP,380-415-460/50-60/1,915/1100RPM,CCW,ODP,48,BB, 15 AT 370V	MOT03508
1.00	6 Pole (1000-1200 rpm)	440-480	48	1 HP, 460/60/1, 1080/1040/940 RPM, 48 FRAME, SLEEVE BRG, CCW, PSC	MOT09828
1.00	8 Pole (750-900 rpm)	208-240	56	1 HP 200-230/60/3, 56FR, BALL BRG, 850 RPM W/WIRE HARNESS PLUG	MOT09902
1.00	8 Pole (750-900 rpm)	208-240/440-480	56	1 HP 200-460/60/3, 3/4 HP 400/50/3, 56, 850/725 rpm	MOT06367
1.00	8 Pole (750-900 rpm)	440-480	56	1 HP 460/380-415/60/50/3, 56FR, BALL BRG, 850 RPM W/WIRE HARNESS PLUG	MOT09903
1.10	6 Pole (1000-1200 rpm)	208-240	48	1.1HP,208-230V,1140RPM,48 FR,OPEN-AOM(PSC)BALL BRG,25MFD @ 370V	MOT06764
1.10	6 Pole (1000-1200 rpm)	440-480	48	1.1 HP, 460V, 1125 RPM, 48 FRAME, BALL BEARING, 25 MFD CPT AT 370V	MOT06765
1.50	4 Pole (1500-1800 rpm)	208-240	56	1.5 HP, 208/230/60/1, 1725 RPM, CAP START, 56 FRAME, CWLE, BALL BEARING (IDM)	MOT05056
1.50	4 Pole (1500-1800 rpm)	208-240/440-480	56	1.5 HP, 208/230/460/60/3, 380-415/50/3, 56 FRAME, BALL BEARING (IDM)	MOT05295
1.50	6 Pole (1000-1200 rpm)	208-240/440-480	56	1.5 HP, 56 FRAME, 200-230/460/50-60/1, 6 POLE, PSC THIS MOTOR USES A 30MFD 370V CAPACITOR.	MOT02462
1.50	6 Pole (1000-1200 rpm)	440-480	56	1.5 HP 460/60/3, 56FR, BALL BRG, 1140 RPM W/WIRE HARNESS PLUG	MOT10294
2.00	2 Pole (3200-3600 rpm)	208-240/440-480	56	2HP, 200-230/460 +/- 10%, 50-60 HZ, 3 PH, 3450 RPM TOP, 2 POLE	MOT03080
2.00	4 Pole (1500-1800 rpm)	208-240	56	2.0 HP, 208/230/60/1, 1725 RPM, 56 FRAME, CWLE, BALL BEARING, START CPT: 145-174 MFD AT 330V, RUN CPT: 25 MFD AT 370V	MOT05163
2.00	4 Pole (1500-1800 rpm)	208-240/440-480	56	INDOOR, 2 HP, 208-230/460/60/3, 1.5 HP, 400/3/50, 4 POLE	MOT09802
2.00	4 Pole (1500-1800 rpm)	208-240/440-480	56	2HP, 208-230/460/60/3, 1725 RPM, 56 FRAME, BALL BRG	MOT02915
3.00	2 Pole (3200-3600 rpm)	208-240/440-480	56	3 HP, 3450 RPM, 200-230-460/50-60/3 RIGID, 7/8 SHAFT	MOT03081
3.00	2 Pole (3200-3600 rpm)	208-240/440-480	56	3 HP, 208-230/460 +/- 5 PERCENT, 50-60 HZ, 3 PH, 3450RPM, DOUBLE SHAFT, TOP, 2 POLE	MOT03085
3.00	4 Pole (1500-1800 rpm)	208-240/440-480	56	3 HP, 208-230/460/60/3, 200/400/50/3, 1740/1450 RPM, 56 HZ FRAME, RIG BASE, ODP, BALL BEARING, REV ROTATION	MOT09801
3.00	4 Pole (1500-1800 rpm)	208-240/440-480	56	3 HP, 208-230/460/60/3, 200/380-415/50/3, 1725/1425 RPM, 56HZ FRAME, BALL BEARINGS	MOT12034
5.00	2 Pole (3200-3600 rpm)	208-240/440-480	56	5 HP AT 208-230/460/60/3, 3 HP AT 200/380-415/50/3, 56 HZ FRAME, 2 POLE, 3450 RPM (BOTH HP), BALL BEARING, ODP, THERMALLY PROTECTED	MOT03765
5.00	2 Pole (3200-3600 rpm)	208-240/440-480	56	5HP, 200-230/460/50-60/3	MOT03082
5.00	4 Pole (1500-1800 rpm)	208-240/440-480	184T	5 HP, 230/460/60/3, HE-ODP, 184T, 1800 RPM, F1	MOT02140
5.00	4 Pole (1500-1800 rpm)	208-240/440-480	184T	5 HP, 1800 RPM, 184T, 230/460V, F1, ODP, EPACT	MOT10593
5.00	4 Pole (1500-1800 rpm)	208-240/440-480	184TZ	5 HP, @ 208-230/460/60/3. 4 POLE, 1750 RPM, 184TZ FRAME, 1.15 SERVICE FACTOR, EPACT/CSA-390 COMPLIANT, AUTOMATIC THERMAL OVERLOAD,F1, ODP, 3 HP @ 200/400/50/3, 1450 RPM.	MOT09679
7.50	2 Pole (3200-3600 rpm)	208-240	184T	7.5HP 208-230/60/3, 184T FR - RIG BASE, ODP, BALL BEARING WITH HARNESS, 3475 RPM	MOT09803
7.50	2 Pole (3200-3600 rpm)	440-480	184T	7.5HP, 460/60/3, @ 5 HP 380-415/50/3, 184T FR-RIG BASE, ODP, BALL BEARING WITH HARNESS, 3475 RPM.	MOT09804
15.00	4 Pole (1500-1800 rpm)	208-240/440-480	254T	15 HP, 1800 RPM, 254T, 230/460V, F1, ODP, EPACT	MOT10596



Literature Order Number	RSP-SLB124-EN
Filing Hierarchy	Service Products/Motors
Date	July 2006
Supersedes	New
Stocking Location	La Crosse

Trane has a policy of continuous product and product data improvement and reserves the right to change design and specifications without notice.