



AIRMATE PRODUCT CROSS REFERENCE GUIDE

Last Updated:
12/05

Grilles, Registers and Diffusers



Our registers, grilles, and diffusers are manufactured in a variety of styles and sizes with a baked-on protective finish for a durable long life.

They have easy-to-operate dampers and are designed for maximum air distribution efficiency. We offer a wide selection of perforated, expanded, cone, and lanced face styles with fiberglass or metal back T-Bar Lay-Ins.

The name to remember for value, quality, and service is AirMate.



AIRMATE PRODUCT CROSS REFERENCE GUIDE

STEEL

This guide is intended to provide product alternatives only.
No responsibility or guarantee that products are equal in design or performance is assumed.

Last Updated: 12/05

Product No.	Hart & Cooley	Lima	Ameri-Flow	Krueger	Continental	Shoemaker	Titus	US Aire	Tru Aire	J & J Register	Metalaire	Carnes
140	683	10T	383	-	23	845	-	1103M	103	603	-	-
140-FL	-	10T-FL6	383-TL	-	-	-	-	-	-	-	-	-
143	631	-	357	-	33	-	-	1133M	-	-	-	-
143-FL	-	-	357-TL	-	-	-	-	-	-	-	-	-
T 150-0	-	-	-	-	-	850-0	-	-	-	-	-	-
160	682	10V	382	-	22	850	-	1102M	102	602	-	-
160-FL	-	10V-FL6	382-TL	-	-	-	-	-	-	-	-	-
163	661	-	356	-	32	833	-	1132M	-	-	-	-
163-FL	-	-	356-TL	-	-	-	-	-	-	-	-	-
164	664	-	367	-	B32	855	-	1312M	-	-	-	-
170	672	19H	372	-	G25	1050	-	1400	170	60-GH	1400	-
170FF	673	19 FG	326	-	FG2	FG	-	1410F	190	60-GH-FF	1400F	-
TB 170FF	659T	19FG-20x20TB	326TW	-	TL2	105FG	-	-	1160FG-2	4260FF	1400F TB	-
TB 170FF INS	659TI	-	325TW	-	-	106FG	-	1420F	-	4260FF	-	-
TB 170FF-4	659TPI	-	-	-	TL2106	-	-	1420F	-	4260FF	-	-
170-M	651	11A	-	-	-	1025	-	-	-	601D	-	-
171	-	-	-	-	BG21	1150	-	1300	-	60-GH-7	-	-
173	650	16H	377	-	G35	1033	-	-	-	-	-	-
174	657	20	375	-	BG31	1133	-	-	-	-	-	-
173FF	659	-	-	-	FG3	33FG	-	-	-	-	-	-
TB 173FF	-	-	-	-	TL3	-	-	-	-	-	-	-
180	681	-	-	-	21	-	-	1101M	-	601L & 601R	-	-
190	684	11E	384	-	24	150	-	1104M	104	604	-	-
193	621	-	-	-	34	-	-	-	-	-	-	-
200-H	92H00	100H	-	80H	RGH	-	271RL	-	-	90H	H4002S	RSSA H
200-V	92V00	-	-	80V	RGV	-	271RS	-	-	90V	V4002S	RSSA V
200-HO	92H0V	100H w/101	-	80H0BD	RGH-O	-	271RL w/ AG-35	-	-	90H w/OBD	H4002SD	-
200-VO	92V0V	-	-	80V0BD	RGV-O	-	271RS w/ AG-35	-	-	90V w/OBD	V4002SD	-
T 200-VO	-	-	-	-	-	-	-	-	-	-	-	-
220-H	831	-	-	800H	RHML	-	-	-	-	900 H	-	-
220-V	821	100M	192L	800V	RVML	-	-	-	210VM	900 V	-	-
240-H	92HVO	-	-	880H	HVG	-	272RL	-	-	990 H	H4004S	RSDA H
240-V	92VHO	100VH	-	880V	VHG	-	272RS	-	-	990 V	V4004S	RSDA V
240-HO	92HVV	-	-	880H0BD	-	-	272RL w/ AG-35	-	-	990 H w/OBD	H4004SD	-
240-VO	92VHV	100VH w/101	-	880V0BD	-	-	272RS w/ AG-35	-	-	990 V w/OBD	V4004SD	-
T 240-VO	-	-	-	880V0BD	-	-	-	-	-	-	-	-
280	94A	-	-	S80H	RGH-40	-	23RL	-	270	S 90 H	SRH	RSLA
280FF	96AFB	-	-	S80H5FF	-	-	23RFL	-	290	S 90 H FF	SRHF	-
TB 280FF	RHF45-T	-	-	S80H5FF	-	-	23RFL (Border #3)	-	1170FG-2	4290FF	SRHF TB	-
280-M	-	-	-	-	-	-	-	-	-	-	-	-
280-0	94AHOV	90 RA H OB	-	S80H0BD	-	-	23RFL w/ AG-35	-	-	S 90 H w/OBD	SRHD	-
285-A	-	-	-	600A	-	-	T-700L	-	-	700A	-	RFJAD
300	-	-	-	-	28	350	-	-	-	-	-	-
300-FL	-	-	-	-	-	-	-	-	-	-	-	-
301	420	41F	427	-	TG32	TS	-	1320	150TS	875	-	-
302	421	41	413	-	28	-	-	1510D	150M	800	-	-
310	411	40	410	-	P28	375	-	-	-	850	-	-
325	265	35	405	-	F25	1600	-	1530	-	825	-	-
325-M	210	-	400	-	F20	-	-	1530M	-	-	-	-
325-0	-	30	-	-	-	1550	-	-	-	-	-	-
350	406	71	3015W/15/18	-	150,180,240	-	-	1340	-	-	-	-
351	407	73	-	-	1505, 1805, 2405	-	-	1330	-	-	-	-
401 -HM	-	-	-	181LM	-	-	250L1 w/ AG-20	-	301M	291L ML	-	-
401 -VM	-	-	-	181SM	-	-	250S1 w/ AG-20	-	-	291S ML	-	-
402-HM	-	-	-	182LM	-	-	250L2 w/ AG-20	-	302M	292L ML	-	-
402-VM	-	-	-	182SM	-	-	250S2 w/ AG-20	-	-	292S ML	-	-
403	-	-	-	183L	-	-	250L3	-	-	293	-	-
403-M	-	-	-	183LM	-	-	250L3 w/ AG-20	-	303M	293 ML	-	-
403-0	-	-	-	183LOBD	-	-	250L3 w/ AG-15	-	-	293-0BD	-	-
404	-	-	-	184	-	-	250S4	-	-	294	-	-
404-M	-	-	-	184M	-	-	250S4 w/ AG-20	-	304M	294 ML	-	-
404-0	-	-	-	1840BD	-	-	250S4 w/ AG-15	-	-	294-0BD	-	-
420-VM	-	-	-	-	-	-	-	-	-	-	-	-
451-HM	-	-	-	-	-	-	-	-	-	-	-	-
T 451-HO	-	-	-	-	-	-	-	-	-	-	-	-
452-HM	-	-	-	-	-	-	-	-	-	-	-	-
T 452-HO	-	-	-	-	-	-	-	-	-	-	-	-
453-M	-	-	-	-	-	-	-	-	-	-	-	-
T 453-0	-	-	-	-	-	-	-	-	-	-	-	-
454-M	-	-	-	-	-	-	-	-	-	-	-	-
T 454-0	-	-	-	-	-	-	-	-	-	-	-	-
501-HM	-	-	-	-	-	-	-	-	-	-	-	-
T 501-HO	-	-	-	-	-	-	-	-	-	-	-	-
502-HM	-	-	-	-	-	-	-	-	-	-	-	-
502-LM	-	-	-	-	-	-	-	-	-	-	-	-
502-RM	-	-	-	-	-	-	-	-	-	-	-	-
502-VM	-	-	-	-	-	-	-	-	-	-	-	-
503-M	-	-	-	-	-	-	-	-	-	-	-	-
T 503-0	-	-	-	-	-	-	-	-	-	-	-	-
504-M	-	-	-	-	-	-	-	-	-	-	-	-
T 504-0	-	-	-	-	-	-	-	-	-	-	-	-
601-HM	301	11AB	T361	-	C1H	201 H	-	1201M	401M	501	-	-
T 601-HO	-	-	-	-	-	201 H-0	-	-	-	-	-	-
602-HM	302	-	T362	-	C2H	202 H	-	-	402M	502 H	-	-
602-LM	-	-	-	-	-	202 VH	-	-	-	502 CL	-	-
602-RM	-	-	-	-	-	202 HV	-	-	-	502 CR	-	-
602-VM	-	11BB	-	-	-	202 V	-	1202M	-	502 V	-	-
603-M	303	11DB	T363	-	C3	203	-	1203M	403M	503	-	-
T 603-0	-	-	-	-	-	203-0	-	-	-	-	-	-
604-M	304	11EB	T364	-	C4	204	-	1204M	404M	504	-	-
T 604-0	-	-	-	-	-	204-0	-	-	-	-	-	-
700	-	-	-	6204	-	-	PCS (square neck)	-	-	1200	7650-6	SPGB

This guide is intended to provide product alternatives only.
No responsibility or guarantee that products are equal in design or performance is assumed.

Last Updated: 12/05

Product No.	Hart & Cooley	Lima	Ameri-Flow	Krueger	Continental	Shoemaker	Titus	US Aire	Tru Aire	J & J Register	Carnes	Metalaire	Air Guide	Reliable
A 770-RA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A 771	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A 772	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A 771	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A 800	-	-	-	-	-	-	-	900	-	-	-	900	-	-
P 800-D	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ACCESSORIES

Filler Panel	A500P	Lay-in Panel	RA674	-	22	700	-	-	-	-	-	TBP	PLT	ALIP
A OBD	AD	-	-	50BD	-	OBD	AG-35-AA	OBDR	-	AL OBD	-	OBDR	OB	OBD

EXTRUDED ALUMINIUM

E 200-H	HX	90 H	-	580H	-	901	271FL	H4002	-	AL 90H	RASA H	H4002	H	G1H
E 200-V	VX	90 V	-	580V	-	902	271FS	V/ V4002	-	AL 90V	RASA V	V4002	V	G1V
E 200-HM	HM	90 H ML	RA192LH	5800H	-	901-0	-	H4002M	-	AL 900 H	-	4000HM	HML	R1HM
E 200-HO	HD	90 H OB	-	580HOBD	-	902-0	271FL w/ AG-35	H4002D	-	AL 90H w/OBD	-	H4002D	H-OB	R1HO
E 200-VM	VM	90 V ML	RA192LV	5800V	-	950 VM	-	V4002M	-	AL 900 V	-	4000VM	VML	R1VM
E 200-VO	VD	90 V OB	-	580VOBD	-	-	271FS w/ AG-35	VD/ V4002D	-	AL 90V w/OBD	-	V4002D	V-OB	R1VO
ET 200-VO	-	-	-	-	-	950 VO	-	-	-	-	-	-	-	-
E 240-H	HV	90 HV	RA191HV	5880H	-	903	272FL	H4004	-	AL 990 H	RADA H	H4004	HV	G2H
E 240-HO	HVD	90 HV OB	RA190HV	5880HOBD	-	903-0	272FL w/ AG-35	H4004D	-	AL 990 H w/OBD	-	H4004D	HV-OB	R2HO
E 240-V	VH	90 VH	RA191VH	5880V	-	904	272FS	VH/ V4004	-	AL 990 V	RADA V	V4004	VH	G2V
E 240-VO	VHD	90 VH OB	RA190VH	5880VOBD	-	904-0	272FS w/ AG-35	VHD/ V4004D	-	AL 990 V w/OBD	-	V4004D	VH-OB	R2VO
ET 240-VO	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E 280	RH45	90 RA H	RA204	S580-H	-	905	3FL	RH/ RHE	A270	AL S 90 H	RALA H	RHE	RA	GFX
E 280FF	RHF45	90 FG	-	S580H-5FF	-	900 FG	3FFL	RHF/ RHEF FS	A290	AL S 90 H FF	-	RHEF	RF-2	GXF
ETB 280FF	-	90FG-TB	-	-	-	900T FG	3FFL (Border #3)	RHEFTB FS	-	-	-	RHEFTB	RF-2-T	GXF/TB
E 285	TG	90 RA VP	-	5600	-	4000	CT-700L	DGSF	-	AL 700	-	DG SF	DG2	DG1
E 285-A	TGF	90DGC	-	5600-D	-	4100	CT-700L w/ AF	DGDF	-	AL 700A	-	DG DF	DG3	DG2
E 401-H	CH1	90CB1	-	5181L	-	CB 10-H	250-AAL1	L	-	AL 291L	RACA	L	CB-1	C1L
E 401-HM	CHM1	90CB ML 1	-	5181LM	-	CB 10-H-M	250-AAL1 w/ AG-20	LM	A301M	AL 291L ML	RACA	LM	CBML-1	C1LM
E 401-HO	CHD1	90CB OB 1	-	5181LOBD	-	CB 10-H-O	250-AAL1 w/ AG-15	LD	-	AL 291L-OB	RACA	LD	CB-OB-1	C1LO
E 401-V	-	-	-	5181S	-	CB 10-V	250-AAS1	-	-	AL 291S	RACA	S	CB-1	C1S
E 401-VM	-	-	-	5181SM	-	CB 10-V-M	250-AAS1 w/ AG-20	-	-	AL 291S ML	RACA	SM	CBML-1	C1SM
E 401-VO	-	-	-	5181SOBD	-	CB 10-V-O	250-AAS1 w/ AG-15	-	-	AL 291S-OB	RACA	SD	CB-OB-1	C1SO
E 402-H	CH2	90CB2	-	5182L	-	CB 20-H	250-AAL2	LT	-	AL 292L	RACA	LT	CB-2	C2L
E 402-HM	CHM2	90CB ML 2	-	5182LM	-	CB 20-H-M	250-AAL2 w/ AG-20	LTM	A302M	AL 292L ML	RACA	LTM	CBML-2	C2LM
E 402-HO	CHD2	90CB OB 2	-	5182LOBD	-	CB 20-H-O	250-AAL2 w/ AG-15	LTD	-	AL 292L-OB	RACA	LTD	CB-OB-2	C2LO
E 402-V	-	-	-	5182S	-	CB 20-V	250-AAS2	-	-	AL 292S	RACA	ST	CB-2	C2S
E 402-VM	-	-	-	5182SM	-	CB 20-V-M	250-AAS2 w/ AG-20	-	-	AL 292S ML	RACA	STM	CBML-2	C2SM
E 402-VO	-	-	-	5182SOBD	-	CB 20-V-O	250-AAS2 w/ AG-15	-	-	AL 292S-OB	RACA	STD	CB-OB-2	C2SO
E 403	C3	90CB3	-	5183L	-	CB 30	250-AAL3	LS3	-	AL 293	RACA	LS3	CB-3	C3
E 403-M	CM3	90CB ML 3	RA503M	5183LM	-	CB 30-M	250-AAL3 w/ AG-20	-	A303M	AL 293 ML	RACA	LS3M	CBML-3	C3M
E 403-O	CD3	90CB OB 3	-	5183LOBD	-	CB30-O	250-AAL3 w/ AG-15	LS3D	-	AL 293-OB	RACA	LS3D	CB-OB-3	C3O
E 404	C4	90CB4	-	5184	-	CB 40	250-AAS4	LS4	-	AL 294	RACA	LS4	CB-4	C4
E 404-M	CM4	90CB ML 4	-	5184M	-	CB 40-M	250-AAS4 w/ AG-20	-	A304M	AL 294 ML	RACA	LS4M	CBML-4	C4M
E 404-O	CD4	90CB OB 4	-	5184LOBD	-	CB 40-O	250-AAS4 w/ AG-15	LS4D	-	AL 294-OB	RACA	LS4D	CB-OB-4	C4O
E 4033	-	-	-	-	-	-	250-AAS3	LTC3	-	AL 293S	RACA	LTC	-	C3244
E 4033-M	-	-	-	-	-	-	250-AAS3 w/ AG-20	-	-	AL 293S ML	RACA	LTCM	-	C3244M
E 4033-O	-	-	-	-	-	-	250-AAS3 w/ AG-15	LTC3D	-	AL 293S-OB	RACA	LTC3D	-	C3244O
E 900	RE5	90CC 2	-	EGC5	-	600	50F	CC5	-	ALEC	RAPAF	CC5	RA-AG	GAG5
ETB 900 INS	RE5-TI	-	-	-	-	-	-	-	-	-	-	-	-	-
E 900FF	REF5	-	-	EGC5-5FF	-	600 FG	50FF	CC5F FS	-	ALEC-5-FF	-	CC5 FB	RF-2-AG	GAG5F
ETB 900FF	-	90CCFG 24	-	-	-	600T FG	50FF (Border #3)	CC5FTB FS	-	4205FF	-	CC5 FB TB	RF-2-AG-T	GAG5FTB
E 1000	SD	-	-	-	-	-	-	-	-	-	-	-	-	SD-44
E 1000-M	-	-	-	-	-	-	-	-	-	-	-	-	-	SD-44M
E 1000-O	SDD	-	-	-	-	-	-	-	-	-	-	-	-	SD-44O
E 1050-C	-	95 SM	-	-	-	SDD-2C	TDC-AA (2C, Border #1)	-	-	AL 1402D	-	5000-1 SC	JS-2-CB	SDC
E 1050-CM	A505MS	-	RA2605	-	-	SDD-2C-D	-	-	-	-	-	-	-	SDC-M
E 1051	-	95 SM	-	-	-	SDD-1S	TDC-AA (1, Border #1)	-	-	AL 1401	-	5000-1 S1	JS-1	SD1
E 1051-M	A501MS	-	RA2601	-	-	SDD-1S-D	-	5400	-	-	-	-	-	SD1-M
E 1052	-	95 SM	-	-	-	SDD-2S	TDC-AA (2, Border #1)	-	-	AL 1402	-	5000-1 S2	JS-2	SD2
E 1052-M	A502MS	-	RA2602	-	-	SDD-2S-D	-	5400	A502M	-	-	-	-	SD2-M
E 1053	-	95 SM	-	-	-	SDD-3S	TDC-AA (3, Border #1)	5400	-	AL 1403	-	5000-1 S3	JS-3	SD3
E 1053-M	A503MS	-	RA2603	-	-	SDD-3S-D	-	-	A503M	-	-	-	-	SD3-M
E 1054	-	95 SM	-	-	-	SDD-4S	TDC-AA (4, Border #1)	5400	-	AL 1404-A	-	5000-1 S4	JS-4	SD4
E 1054-M	A504MS	-	RA2604	-	-	SDD-4S-D	-	-	A504M	-	-	-	-	SD4-M

AIR DISTRIBUTION PRODUCTS – Registers, Grilles and Diffusers

Our registers, grilles, and diffusers are manufactured in a variety of styles and sizes with a baked-on protective finish for a durable long life. They have easy-to-operate dampers and are designed for maximum air distribution efficiency. We offer a wide selection of perforated, expanded, cone, and lanced face styles with fiberglass or metal back T-Bar Lay-Ins. The name to remember for value, quality, and service is AirMate.